


NEW SUUNTO D5 / COPPER



DIVE life
Made easy.
Adventure underwater.
Connect above the surface.
Suunto D5, explore together.



REGULATORS 2-7 **BCD'S** 8-12 **INSTRUMENTS** 13-15 **DIVE COMPUTERS** 16-19 **MASKS & SNORKELS** 20-25 26-28 **GOGGLES & MASK SETS** 29-30 **FINS Boots & Gloves** 31 32-35 **Wetsuit & Lycra** 36-37 **CAMERAS** 38-42 **BAGS & CASES TORCHES** 43 **DIVE KNIVES** 44-45 46-54 **ACCESSORIES TOOLS & SERVICE PARTS** 55-56 **TANKS, VALVES & AIR** 57-59 60-61 **COMPRESSORS** MARINE BOOKS **62** 63 **CUSTOM PRINTS & EMBROIDERY SHOP DISPLAYS / FITTINGS** 64-65

HIGH TECHNOLOGY & MAXIMUM BREATHING COMFORT WITH SCUBAPRO REGULATORS

SCUBAPRO FIRST STAGE REGULATORS

First stage regulators are divided into piston & diaphragm categories.

SCUBAPRO PISTON TECHNOLOGY

The general advantage of a piston first stage lies in its reliability & reduced maintenance requirements. More importantly, no other design can reach the high air delivery rate of a balanced piston controlled first stage. First stages with air-balanced pistons deliver significantly more air to the second stage than any other first stage. This technology is featured in our MK25 EVO first stages.

Classic downstream piston - The classic downstream valve is the first choice of diving centers & rental facilities worldwide for warm & moderate water temperatures. This technology is featured in our MK2 EVO first stage.

FIRST STAGE



PRODUCT FEATURES	MK25T EVO	MK25 EVO	MK21	MK2 EVO	MK17 EVO	MK19 EVO	MK11
Technology							
Air-balanced-flow-through •	•	•	•				
Classic downstream				•			
balanced diaphragm					•	•	•
Materials		•	•			·	·
Chrome plated brass body		•	•	•	•	•	•
Full titanium body	•						
Cold water		•	•				·
Anti-freeze protection (AF)	•	•	•		•		
Dry chamber					•	•	
XTIS antifreeze system	•	•		•		•	
Ports							
Intermediate pressure Ports (IP)	5	5	4	4	4	5	4
High Flow Ports (HFP)	5	5	4	-	2	5	2
High Pressure (HP) Ports	2	2	2	1	2	2	2
Swivelling turret with IP ports	•	•				•	
Cap with 5 HFP ports (optional)			•				
Configuration							
INT 230 bar (3336 psi)	•	•	•	•	•	•	•
DIN 300 bar (4351 psi)	•	•	•	•	•	•	•
Externally adjustable intermediate pressure	•	•	•		•		•
Weight DIN 300 (g/oz)	350 / 12.4	572 / 20.1	555 / 19.6	454 / 16	625 / 22	678 / 23.9	470 / 16.6
Weight INT (g/oz)	480 / 16.9	790 / 27.9	744 / 26.2	673 / 23.7	850 / 30	898 / 31.7	692 / 24.4
Air Flow at 200 bar (I/min / SCFM)	>8500 / 301	>8500 / 301	>7500 / 265	3000 / 106	>6500 / 230	>6900 / 244	>5500 / 195
Intermediate pressure (bar/psi)	9-9.8/ 130-142	9-9.8/ 130-142	9-9.8/ 130-142	8.5-9.8/ 123-142	9-9.8/ 130-142	9.2-9.8/ 133-142	9-9.8/ 130-142



SCUBAPRO DIAPHRAGM TECHNOLOGY

Diaphragm-based first stages are environmentally sealed so water cannot enter the inner mechanism. Diaphragm first stages have been the favored choice of cold water divers & those working in contaminated or muddy water. This technology is featured in our MK17 EVO & MK11 first stages.

• SCUBAPRO SECOND STAGE REGULATORS

A high quality second stage can significantly reduce stress & enhance diver safety by providing a smooth, low-effort breathing response, resulting in ample yet controllable quantities of air.

• AIR-BALANCED VALVE TECHNOLOGY

The air-balanced valve technology of SCUBAPRO second stages features a balancing chamber in the second stage mechanism, slightly offsetting the force of the downstream air entering from the first stage. Air-balanced valve technology is featured in X-Series, S-Series & G-Series second stages. For best results, they should be teamed with balanced first stages like the MK25 EVO or MK17 EVO.

SECOND STAGE



PRODUCT FEATURES	A700	S600	S560	D420	C370	G260	R195	R095
Technology								
Air-balanced	•	•	•	•	•	•		
Classic downstream valve							•	•
Materials								
Precision molded carbon fiber & technopolymer housing			•		•			
Full metal valve housing	•	•		•		•	•	•
Full metal case	•							
Breathing comfort								
Coaxial flow	•				•			
Diver's adjustable inhalation effort	•	•	•		•	•		
Diver's adjustable VIVA	•	•	•	•	•	•	•	
VIVA preset								•
Hose								
Sturdy super-flow hose for extra durability & flawless air delivery	•	•	•		•	•	•	•
Left & right attachment for extra convenience				•		•	•	•
Mouthpiece				^		^		
Supercomfort HF (High Flow)	•	•	•	•	•	•	•	•
Weight (g/oz)	265 / 9.3	193 / 6.8	172 / 6.1	216 / 7.6	158 / 5.6	275 / 9.7	198 / 7.0	165 / 5.8
Air Flow at 200 bar (I/min / SCFM)	>2000 / 71	1850 / 66	1850 / 66		1850 / 66	18000 / 64	1400 / 50	1400 / 50



- First stage

 DLC (Diamond-like Carbon) black finish

 Cold water XTIS (external thermal insulating system)

 Improved cold water performance by 30% in waters down to 2°C

- Second stage
 Precision handcrafted construction (full metal case)
- NEW carbon fibre cover that's virtually bulletproof
- Exceptional breathing performance at any depth

MK25 EVO / D420

 Diver adjustable venturi-initiated vacuum assist (VIVA) • High comfort orthodontic mouthpiece



- First stage

 Durable Black Tech Coating with Diamond Like Carbon finish.

 Air Balanced Flow Through Piston
- Extended Thermal Insulating System
 5 High Flow Low Pressure Ports
 2 High Pressure Ports

- **Second stage** Reinforced, Black Tech, Techno Polymer
- Design
 Air Balanced Second Stage
 Dive Adjustable Inhalation Effort Control and VIVA



First stage

- Double chrome plated marine brass
 Cold water XTIS (external thermal
- insulating system) Improved cold water performance by 30% in water down to 2°C

- Second stage
 Technopolymer body & components
 Diver adjustable venturi-initiated vacuum
- High comfort orthodontic mouthpiece

First stage

• Double chrome plated marine brass

X12.420.000

- Cold water XTIS (external thermal insulating system)
- Improved cold water performance by 30% in water down to 2°C

Second stage

- NEW. Uniquely shaped casing carries on the D-Series heritage with the latest advances in breathing performance technology
- NEW. Air-balanced Progressive Flow Control Valve is able to deliver abundant airflow with a natural smoothness comparable to breathing on the surface
- NEW casing design features inner winglets that direct airflow towards the exhaust valve, creating a dramatic improvement in exhalation effort
- NEW. Diaphragm is located in the lower section of the casing to take advantage of the pressure gradient in the upright position, making breathing even easier

DEEP DOWN OU WANT THE BEST

MK25T EVO / S620X SCUBA X12.620.400

- First stage
 Titanium construction
 Cold water XTIS (external thermal insulating system)
 Improved cold water performance by 30% in waters down to 2°C

- Second stage
 Rugged reinforced technopolymer case
 Titanium barrel
- New exhaust tee increases performance while directing bubbles out of the field
- Compact Hi-Flow mouthpiece, exclusive to the S620 Ti improved airflow & mouth comfort

MK19 EVO / D420



- First stage
 Air balanced diaphragm delivers constant & effortless airflow unaffected by depth,
- tank pressure, or breathing rate
 Dry ambient pressure chamber increases
 freezing resistance, ensuring consistent
 airflow in the coldest conditions
- Environmentally sealed system prevents water & pollutants from fouling the inner mechanism
- Five high-flow low pressure ports on a swivel turret maximize hose routing options (same as MK25)
- Double high pressure outlets

- Second stage

 NEW. Uniquely shaped casing carries on the D-Series heritage with the latest advances in breathing performance
- NEW. Air-balanced Progressive Flow Control Valve is able to deliver abundant airflow with a natural smoothness
- airflow with a natural smoothness comparable to breathing on the surface NEW casing design features inner winglets that direct airflow towards the exhaust valve, creating a dramatic improvement in exhalation effort NEW. Diaphragm is located in the lower section of the casing to take advantage of the pressure gradient in the upright position, making breathing even easier.
- position, making breathing even easier



MK19 EVO / G260





- First stage
 Lightweight carbon fiber design.
 Increased resistance to freezing from internal metal componentry.
 Large casing and diaphragm on second stage for improved breathing sensitivity.
 Diver-adjustable inhalation effort knob fine-tunes air delivery.
 VIVA dive/pre-dive switch prevents free flows.
 Super-flow hose.
 High-flow exhaust valve reduces exhalation effort.
 Convenient large purge button.

- Convenient large purge button.

 Easy to grip orthodontic mouthpiece.
 Available in DIN or INT configuration.

- Second stage
 Smaller and compact first stage.
 Air-balanced diaphragm delivering constant and effortless airflow.
 Environmentally sealed system.
 New dry chamber is equipped with a double spring making it compact and reliable.
 Two high pressure ports.
 Swivel turret with four High-Flow low pressure ports and one axial Super High-Flow low pressure port. sure port.

DIN...X12.719.600 INT...X12.719.500



Offering effortless air delivery and outstanding reliability, this is the go-to air delivery system for cold water or technical diving. There's no better example of solid first stage performance in all water temperatures than the MK25 EVO. Teamed with the venerable G260, this system can be relied upon to deliver top-of-the-line performance in the most extreme conditions.

- Set Contains
 2 x MK25 EVO DIN 300
- 2 x G260
- 2 x Compact Gauges

- Plus
 2 x HP hose 20cm
- LP hoses: 20cm (x2), 64cm (x1), 200cm (x1)
 BPI quick coupling x 2
 LP hose elbow x 1
- Regulator Necklace x 1
- Plug x 2



First stage

- Air balanced diaphragm
 New machined body
 4 high flow LP ports & 2 HP ports
 Environmentally sealed mechanism
 New cover & caps

Second stage

- Technopolymer body & componentsDiver adjustable venturi-initiated vacuum assist (VÍVA)
- High comfort orthodontic mouthpiece



First stage

- Compact design 20% smaller than the MK25
- Air-balanced flow through piston design
 Optional replaceable head ideal for technical diving
 4 LP ports & 2 HP ports

Second stage

- Compact body & exhaust tee
 Optimal flow design incorporates a special barrel & balanced poppet valve to produce maximum airflow under any
- diving conditions

 Diver-adjustable inhalation effort
- Venturi-Initiated Vacuum Assist (VIVA)
- Ultra-comfortable orthodontic mouthpiece



First stage

- Compact design 20% smaller than the MK25
- Air-balanced flow through piston design
 Optional replaceable head ideal for technical diving
 4 LP ports & 2 HP ports

- Second stage
 Lightweight techno-polymer barrel
 Diver adjustable inhalation effort
- Diver-adjustable inflation effort
 Diver-adjustable venturi-initiated vacuum assist (VIVA)
- Ultra comfortable orthodontic mouthpiece



- First stage

 Balanced diaphragm design

 Cold water anti-freeze protection

 Chrome plated brass body in compact
- 4 LP ports & 2 HP ports

Second stage

- Compact body & exhaust tee
 Optimal flow design incorporates a special barrel & balanced poppet valve to produce maximum airflow under any
- diving conditions

 Diver-adjustable inhalation effort

 Venturi-Initiated Vacuum Assist (VIVA)
- Ultra-comfortable orthodontic mouthpiece



First stage

- Increased performance at low tank
- pressure Cold water XTIS (external thermal
- Improved positioning 5% reduced in length
- New piston design with 15% increased airflow

Second stage

- Classic downstream valvePreset VIVA
- Reversible LP hose attachment



First stage

- Increased performance at low tank pressure
 Cold water XTIS (external thermal insulating system)
- Improved positioning 5% reduced in length
 New piston design with 15% increased airflow

- Second stage
 Classic downstream valve
- Diver-adjustable venturi-initiated vacuum assist (VIVA)
- Reversible hose attachment
- Super-flow hose
 Super comfort orthodontic mouthpiece
- Metal valve housing



- Balanced diaphragm design
 Cold water anti-freeze protection
 Chrome plated brass body in compact
- design 4 LP ports & 2 HP ports





X11,700,000

- Precision handcrafted construction with polished chrome exterior & full metal case
 Air balanced valve & coaxial flow
 Diver-adjustable inhalation effort

- Diver-adjustable venturi-initiated vacuum assist (VIVA)
 Super-flow hose & high comfort orthodontic mouthpiece





- Air balanced flow valve
 Diver-adjustable venturi-initiated vacuum assist (VIVA)
- Substitution
 Diver-adjustable inhalation effort
 Full metal valve housing
 Super-flow hose
- High comfort orthodontic mouthpiece



- NEW XTIS (external thermal insulating system)
- Industry renowned 'workhorse' regulator for Dive Schools
- New piston design with 15% increased
- airflow
 50% increase in freezing resistance
 4 LP ports & 1 HP port





- Consistently ranked as the top performing first stage
 Air-balanced flow through piston design
 NEW XTIS (external thermal insulating
- NEW ATIS (STATE)
 System)
 30% increase in freezing resistance
 5 extra high airflow LP ports on a rotating
- turret 2 HP ports

MK17 EVO





- Air balanced diaphragm
 New machined body
 4 high flow LP port & 2 HP ports
 Environmentally sealed mechanism
- New cover & capsDIN wheel (new design)







- Air balanced flow valve
 Diver-adjustable venturi-initiated vacuum assist (VIVA)
- Diver-adjustable inhalation effort
- Full metal valve housing
- Super-flow hose
- High comfort orthodontic mouthpiece



- Lightweight techno-polymer barrel
 Air balanced flow valve
 Diver adjustable inhalation effort
 Diver-adjustable venturi-initiated vacuum assist (VIVA)
 High flow exhaust valve
 Super flow hose & ultra comfortable orthodontic mouthpiece



- Air balanced flow valveDiver-adjustable inhalation effort
- Diver-adjustable venturi-initiated vacuum assist (VIVA)
- High flow exhaust valve
 Ultra comfortable orthodontic mouth piece
 • Full metal valve housing



- Compact body & exhaust tee
 Optimal flow design incorporates a special barrel & balanced poppet valve to produce maximum airflow under any diving conditions
 Diver-adjustable inhalation effort
 Venturi-Initiated Vacuum Assist (VIVA)
 Ultra-comfortable orthodontic

- mouthpiece



- Classic downstream valve
- Diver-adjustable venturi-initiated vacuum assist (VIVA)
 Reversible hose attachment
- Super-flow hose
- Super comfort orthodontic mouthpiece Metal valve housing



- Classic downstream valve
- Preset VIVA tuned for safe, uncompli
- Super-flow hose
 High comfort orthodontic mouthpiece
 Full metal valve housing
 Reversible hose attachment



- Classic downstream valveDiver-adjustable venturi-initiated vacuum
- assist (VIVA)

 Super-flow hose

- Super-flow nose
 High comfort orthodontic mouthpiece
 Full metal valve housing
 Reversible hose attachment
 1m yellow super flow hose



- Classic downstream valvePreset VIVA
- High comfort orthodontic mouthpiece
 Full metal valve housing
 Reversible hose attachment
 1m yellow super flow hose



- Downstream valve
 Air-balanced power inflator valve
 Pre-tuned fixed VIVA flow vane
 Improved design, control & safety for BC inflating
 Larger deflation button & high comfort mouthpiece







A combination of the bulletproof Scubapro MK2 Evo regulator set & the outstanding T-One BCD. The MK2 has an unrivaled reputation within the dive industry for unhindered and continued use, a reputation improved further with this latest Evo model: Reduced size & weight, yet increased performance (air flow increased by 15% > 3,000 L/min). The practical T-One BCD sets a new standard in looks and looked the control of the contr longevity.

The SCUBAPRO set includes:

- T-One BCD 5th Genneration

 Heavy duty 'colour lock' cordura 1000 denier exterior

 Comfortable nylon 420 denier interior

 Carbon reinforced shoulders

- Balanced power inflator
 Internal octopus/console holder
 Padded cummerbund & backpack
- Color coded size tabs

T-One Size	XXS	XS	S	М	L	XL	XXL
Colour Coded	Pu	Pi	G	В	Li	0	Gp
Lift Capacity in Kg.	9	11	14	17	18	21	22

R095/R095 Octopus

- Classic downstream valve
- Full metal valve housing
- Preset VIVA
- Left or Right hose configuration
- Superflow hose
- High comfort orthodontic mouthpiece

- MK2 EVO 1st Stage
 Industry renowned 'workhorse' regulator
 Standard piston design
 New XTIS (extended thermal insulating system)
 15% increase in flow rate (>3,000LPM)
 4 LP ports & 1 HP port

Console 2

- Genuine SCUBAPRO hose & gauges
 Pressure gauge 300bar
 Depth gauge 60m with parabolic scale & maximum depth indicator
 Lightweight & compact
- Loop on case to attach a safety lanyard
 Fluorescent dials



- HYDROS X is based on the same modular Monprene® harness and backpack design popularized by the Hydros Pro back-inflation BCD
- NEW EndurTex high-tenacity 420 nylon fabric bladder is lightweight yet extremely durable
- Monprene® thermoplastic harness is extremely resistant to UV, chemicals and abrasion, plus it doesn't absorb water to minimize drying time
- Rotating quick-release shoulder buckles allow you to route your shoulder straps to optimize fit
- Super Cinch tank buckle system locks the tank in solid for maximum stability at depth
- Integrated front weight system is based on the same Monprene® pockets found on the HYDROS PRO
- Two big zippered cargo pockets offer great gear-carrying capacity and are easily accessible even when the weight pouches are fully loaded
- Two stainless steel D-rings provide clip-on points for additional gear
- Includes Multi-Mount Accessory Matrix with multiple D-rings and mounting points that easily attach various dive accessories
- Color kits available pg 65
- Buoyant lift ranges from 13kg to 20kg for men, and 13kg to 17kg for women, depending on size


Men:

S...X21.900.200 M...X21.900.300 L...X21.900.400 XL-2XL...X21.900.500

Women:

XS-S...X21.901.100 M...X21.901.300 L...X21.901.400





- Winner 'BEST IN SHOW' DEMA 2015
 Innovative high tech modular system
 Monprene ® TPE (thermoplastic elastomer) Unrivalled strength & durability

 - Water resistant
- Super quick drying
- Integrated weights system, 3 dump valves, 6 D-rings with adjustable height, trim pockets
 Colours for Men: Black, Blue, Orange, White, Yellow
 Colours for Women: Pink, Purple, Black, White
 Converts into a lightweight travel BCD with free backpack

- Sizes for Men: S, M, L, XĽ-XXL
- Sizes for Women: XS-S, M, L

Introducing the key to transforming your dive experience. Hydros Pro is an incredible feat of engineering offering unprecedented convenience, on-the-go configuration & specialized fits. Hydros Pro isn't just for professionals, it's for anyone who loves to dive & wants the best

Instant Dry & Durable

No water absorption means neutral buoyancy & a light weight BC that is dry when it comes out of the water. Hydros Pro also stands up to UV, chemicals & abrasion

Smart-Pack Design

Pack your entire kit into the small backpack (included) & get going

2-in-1 BC

With a quick switch of clips, Hydros Pro transforms from a basic harness travel BC to a jacket with fully integrated weight pockets







X21.746.005

X21.746.006

Colour Kit Army Green...X21.745.010 Colour Kit Black...X21.745.100 Colour Kit Blue...X21.745.200 Colour Kit Turquoise...X21.745.250 Colour Kit Orange...X21.745.400 Colour Kit Yellow...X21.745.500 Colour Kit White...X21.745.600 Colour Kit Pink...X21.745.700 Colour Kit Purple...X21.745.710 Mini D-ring Set...X21.746.002 Ninja Pocket...X21.746.005 Cargo Thigh Pocket...X21.746.006 Accessory Bungee Set - M...X21.746.400 Accessory Bungee Set - L...X21.746.500



- Heavy duty Cordura 1000D exterior & lightweight 420D interior
 Adjustable chest strap
 Comfort backpack
 2 Pockets with restyled graphics & interest of the property of the p

- internal octopus holder
 Adjustable padded cummerbund
- Available in 7 sizesBalanced power
- inflator


2XS...X21703XXS XS...X21703XS S...X21703S M...X21703M L...X21703L XL...X21703XL 2XL...X21703XXL



- 1000 Denier Cordura
- Velcro pocket & zippered pocket
 Adjustable cummerbund waistband
- Adjustable cummerbund wals
 Quick release shoulder straps
 Sub-Alert Power Inflator
 Soft Backpack Pad
 3 dump valves

- Plastic tank cam lock buckle





- New easy-to fold small back pack for

- New easy-to fold small back pack for lightweight travel
 Super cinch tank band with redesigned double tank straps
 Integrated weight pockets with low-profile buckles
 High quality anti-scratch patches on sides
 & shoulders
- 6 Stainless steel D-Rings

- Knife grommets
 Zipper pockets
 Rotating shoulder buckles
 Low profile dump valves
 Balanced power inflator
 Soft neck finishing
 420D pylon material
- 420D nvlon material
- Octopus pockets on both sides

XS...X21.725.100 XL...X21.725.500



- Ergonomic shoulder design with rotating buckles improves fit
 Reinforced soft backpack with high-grip tank

- Reinforced soft backpack with high-grip tank patch and inner padding
 Super Cinch stainless steel tank band system
 Somm waist strap with lightweight plastic buckle
 Two large zippered pockets providing lots of cargo-carrying capability
 6 Stainless Steel D-Rings
 Constructed of 1000 denier nylon and 420 denier nylon for maximum durability
 Air cell offers substantial buoyant lift when inflated. inflated.

- initiated.

 Balanced power inflator

 Soft neoprene neck roll and padded back pad.

 Quick-release integrated weight pouches secured with low-profile buckles

 Two rear trim pouches help create a comfortable swimming position

2XS...X22.142.010-2XS XS...X22.142.110-XS S...X22.142.210-S M...X22.142.310-M L...X22.142.410-L









- Modular approach
- Compact independent aircell
 Two aircell sizes: 12 / 20 liters lift (25 / 45lbs.)
- Soft Airnet finished backpack
 Compatible with X-TEK steel &
- aluminum back plates
- Stainless steel grommets, D-rings & handles
- New Dump valve, corrugated hose & BPI
- Specific streamlined elbow
- Bungee & hooks for tank support
- Fully adjustable, easy to wear & configure
- Harness includes crotch strap
 Side bungees for streamlined shape
 Optional top cover for total stream
- lining & increased durability

Wing 12L...X21.726.200 Wing 20L...X21.726.400 Harness Backpad System...X21.726.001



- Legendary PURE harness with stainless steel backplate
- Single tank adapter with two super cinch straps Stainless steel shoulder & waist D-rings
- 50cm wide croch strap with two D-rings
 1680 Denier ballistic nylon outer shell
 420 Denier inner bladder
- Tek balanced inflator
 13kg / 28lb donut wing



DONUT WING



18kg for Twins...X22.183.010



13kg for Singles...X22.193.010

- Provides unprecedented buoyancy Towldes unprecuerine dubyancy control regardless of diving position
 1680 Denier ballistic nylon outer shell
 420 Denier nylon inner bladder
 Tek balanced power inflator
 13kg or 18kg lift capacity



- Stainless steel back plate with "tri-glide"
- Secure continuous webbing provides
- custom fit

 Stainless steel waist buckle
- Stainless steel waist buckle
 Back plate storage pack to fit large SMB
 Shoulder & 1 left D-ring on waist belt
 Somm crotch strap with two stainless steel D-rings



Complete Set...X22.182.000 w/o Backplate, w/o crotch strap...X23.806.000

- Shoulder straps adjust in length &
- allignment

 50mm crotch strap with 2 stainless steel D-rings
 • 6 Large & 6 regular stainless steel D-rings
- Anatomically optimized back padding
 3 Piece comfort-harness-system
- Stainless steel back plate



















- Compact pressure gauge (0-400bar)
- Oompact pressure gauge (0-400bar) w. brass case
 Oil-filled analog depth gauge w. linear Bourdon tube design
 35-degree tilt, oil-filled compass



- Pressure gauge 300bar
 Depth gauge 60m with parabolic scale & maximum depth indicator
 Lightweight & compact
- Loop on case to attach a safety lanyard
 Fluorescent dials







































- **PRO COMPASS DBT30002**
 - Exceptional tilt allows the compass to be held at an angle of up to 30 degree and still respond quickly and accurately
 High strength magnets for fast, positive action
 Bold numbers for ease of reading
 Firm-grip ratcheting bezel
 Luminescent floating card
 Filled with liquid silicone
 Facut and libber lies

 - Easy to read lubber line
 Top or side reading
 - Diameter 56mm

- Easy to read lubber line
- Top or side readingDiameter 60mm





Tel: +66 (76) 383 414-6 | Fax: +66 (76) 281 525 Email: sales@divesupply.com | www.divesupply.com



Compact Depth Gauge...X28.860.005 U-Line DG...X05.012.011 Depth Gauge for Slimline...DBT30040C Depth Gauge for Mini 2K...DBT30007 Depth Gauge Module...BS226001 SM-16/45 Depth Module...FSS05040M010 SM-16/70 Depth Module...FSS05040M020



Intuitive, reliable & bulletproof, SCUBAPRO has combined everything you love about the Galileo with everything you've dreamed of in a dive computer. It's everything you expect from SCUBAPRO in full colour

Easy to read, Easy to use, Easy to love

Spend less time reading manuals & more time enjoying the experience

Easy to manage

- Bluetooth compatible, the G2 easily syncs with your PC, Mac, Android or iOS
 • Stores up to 1,000hrs of dive profiles
- Rechargeable battery lasts up to 50 dives

Make it your own

- Customize your screen, colours, orientation & even the attachments to
- make the G2 truly your own Customized menu listings give you the ability to use as much or as little of the technology as you want; with easy activation of freediving, trimix, CCR & sidemount modes without downloading or upgrading
- The G2 is targeted to quickly become the favorite computer for all divers of all skill levels & goes wherever your passion for diving takes you
- Even your dive profile is one of a kindbased upon your real-time breathing rate, your skin temperature & your heart rate


Galileo G2 Wrist Only...X05.080.101 Galileo G2 Console...X05.081.111



- Easy to use, with 3 main modes: 1. SCUBA MODE: full management of recreational dive profiles with a Bühlmann ZHL-16C decompression algorithm for 1 or 2 mixes (air, Nitrox, & mixes with O2 concentra tions up to 99%)
 - 2. GAUGE MODE: Depth gauge & stopwatch for managing your dive profiles independently.
 - 3. FREEDIVING MODE: Dive/surface time, current/maximum depth
- LOGBOOK MEMORY: SCUBA mode: 40 hours with records every 5". FREEDIVING mode: 18 hours of activity with records every 2"
- SAFETY WARNING: MOD exceeded alarm, deco stop violated alarm, ascent speed alarm, NoFly time & desaturation calculations, maximum permitted
- altitude warning
 "NDL only" Dive Planner
 Dive Manager software for MAC/PC (requires Windows 10)
- Download data via USB cable (optional accessory)
- Ultra-durable structure treated for improved resistance to blows, corrosion, & swings in temperature
- LCD screen with contrast & adjustableintensity backlighting
- Long-lasting CR2450 battery
- Available in version with crown, buttons, & buckle in stainless steel (Action) or with HR treatment (Action HR)

Black...B16006-K Black...B16005-K Black/White...B16005-KW







- Optional wireless air integration current cylinder pressure, remaining air time
- Built-in dive planner
- Detailed graphical logs & dive data on your PC/Mac using PC/MAC with Suunto DM5 software & USB cable

Black...FSS021956000 Black w. Nylon Strap...FSS022617000 Blue w. Nylon Strap (for Instructor)...FSS022910000











WATER RESISTANCE



WIRELESS TANK **PRESSURE**

BATTERY



ALARMS





SOFTWARE



USER UPDATABLE WIRELESS MOBILE CONNECTION

LET'S EXPLORE TOGETHER

USER EXCHANGEABLE RECHARGEABLE



- Easy to read (High contrast colour screen with large numbers
- 3 modes: Air, nitrox, freedive and gauge
- Vibration alarms
- Rechargeable battery (10-20 hrs of dive time with one charge)
- Connect over Bluetooth to Suunto App
- Updatable software
- Integrated tilt-compensated 3D digital compass
- Wireless air integration (Optional)
- Suunto FusedTM RGBM2 for maximum dive time
- Reinforced composite case rated to 100 m depth
- User exchangeable straps (multiple optional straps available)

All-Black...FSS050192000 Blacke/Lime...FSS050191000 Black...FSS050190000 White...FSS050181000

NEW! Copper...FSS050569000



- Full continuous decompression algorithm
 Three dive modes: air, nitrox, free
- Innovative apnea timer
- Optional wireless air integration (Transmitter)
- Detailed graphical logs on PC/MAC with Suunto DM5 software & USB cable
- Updateable firmware
- USB interface cable sold separately Black, Lime & White

Black...FSS050277000 Lime...FSS050279000 White...FSS050278000




FSS050228000

EXPLORE 2 Textile Strap, Foliage/Grey, M+L...FSS050229000
DIVE 2 Textile Zulu Strap, Stealth/Black, L...FSS050264000

DIVE 2 Textile Zulu Strap, Black/Black, L...FSS050263000

DIVE 2 Textile Zulu Strap, Blue/Black, L...FSS050265000



EXPLORE 1 Silicone Strap, Amber/Gray, M...FSS050012000 EXPLORE 1 Silicone Strap, Amber/Gray, M...FSS050012000
EXPLORE 1 Silicone Strap, Coral/Gray, M...FSS050222000
EXPLORE 1 Silicone Strap, Black/Black, M...FSS050222000
EXPLORE 1 Silicone Strap, Graphite/Gray, M...FSS050222000
EXPLORE 1 Silicone Strap, Sandstone/Gray, M...FSS050223000
EXPLORE 1 Silicone Strap, Black/Steel, M...FSS050155000
ATHLETIC 3 Silicone Strap, White/Steel, M...FSS050155000
EXPLORE 2 Silicone Strap, Lime/Black, M...FSS050157000
EXPLORE 2 Silicone Strap, Black/Black, M...FSS05015000
EXPLORE 3 Silicone Strap, Black/Copper, M...FSS02313000
ATHLETIC 4 Silicone Strap, Black/Copper, M...FSS023313000
ATHLETIC 4 Silicone Strap, White/Gold, M...FSS023485000
URBAN 2 Leather Strap, Black/Black, M....FSS0050231000 URBAN 2 Leather Strap, Black/Black, M...FSS050231000 URBAN 2 Leather Strap, Brown/Black, M...FSS050232000



- Optional wireless air integration current cylinder pressure, remaining air time
- Integrated tilt-compensated 3D digital compass
- Gas-switching between up to three gases (Oxygen up to 99 %)
- Cable optional for connecting to detailed graphical logs & dive data with your PC/Mac using Suunto DM5 software
- Full continuous decompression algorithm Suunto RGBM
- Five modes: air, nitrox, gauge, free & off
 Innovative apnea timer for free diving & a timer in air Nitrox modes
- Built-in dive planner

White...FSS050433000 Graphite...FSS050434000



Black...FSS022740000 White...FSS023081000 Lime...FSS023082000





• Detailed graphical logs & dive data with your PC/Mac using Suunto DM5 software (no cable in the package – sold as an accessory)
• Innovative apnea timer for freediving & timer in air/nitrox modes



Lime...FSS021643000 Blue...FSS021644000

Black...FSS021645000 Rental, Lime...FSS022692000













	D4:	D.F.	D/: No.	7000 N	VOVDED N	FON Com
Glass material:	D4i	D5	D6i Novo	ZOOP Novo	VYPER Novo	EON Core
Glass material:	Mineral crystal	Mineral crystal	Sapphire crystal	Acrylic	Acrylic	Mineral crystal
Case material:	Composite	Reinforced composite	Steel	Composite	Composite	Reinforced composite
Strap material:	Silicone	Silicone	Silicone / metal	Elastomer	Elastomer	Elastomer
Water resistance	100 m	100 m (ISO 6425, EN 13319)	150 m	120 m	120 m	80 m
Battery life in time mode	2 years	-	2 years	2 years	2 years	2 months
Battery life 100 dives/year	1.5 years	-	1.5 years	1.5 years	1.5 years	-
Battery type	CR 2450	rechargeable lithium-ion	CR 2450	CR 2450	CR 2450	rechargeable lithium-ion
UI languages	EN	EN, FR, ES, IT, NL, PT, SV, FI, RU, PL, KO, ZH, DE, NO, CS, DA, JA, ZH, TW	EN	EN	EN	EN, CS, DA, DE, ES, FI, FR, IT, JA, KO, NL, NO, PL, PT, RU, SV, ZH
Backlight	electro-luminescent	LED	electro-luminescent	electro-luminescent & phosphor-luminescent	electro-luminescent & phosphor-luminescent	LED
Configurable backlight	duration: off, 5, 10, 20, 30, 60 s	yes	duration: off, 5, 10, 20, 30, 60 s	duration: off, 5, 10, 20, 30, 60 s	duration: off, 5, 10, 20, 30, 60 s	yes
Firmware upgradable	yes	yes	yes	-	-	yes
User replaceable battery	-	-	-	yes	yes	-
Digital compass	-	yes	yes	-	yes	yes
Tilt compensation	-	up to 45°	up to 45°	-	up to 45°	up to 45°
Maximum operating depth(EN 13319)	100m	100 m / 328 ft (EN 13319, ISO 6425)	120m	80m	80m	80m
Nitrox (and air)	yes	yes	yes	yes	yes	yes
Freedive	yes	yes	yes	yes	yes	yes
Gauge	yes	yes	yes	yes	yes	yes
Dive time	0 to 999 min	0 to 999 min	0 to 999 min	0 to 999 min	0 to 999 min	0 to 999 min
Wireless air integration	optional	optional (up to 3 different tanks with Suunto Tank POD)	optional	-	optional	optional
Decompression model	RGBM	Suunto Fused™ RGBM 2	RGBM	RGBM	RGBM	FUSED RGBM
Personal adjustment	0 - 2	P+2, P+1, P0, P-1, P-2	0 - 2	0 - 2	0 - 2	from -2 to 2
Altitude adjustment	0-300m / 300-1500m /1500-3000m	0-300m / 300-1500m /1500-3000m	0-300m / 300-1500m /1500-3000m	0-300m / 300-1500m /1500-3000m	0-300m / 300-1500m /1500-3000m	0-300m / 300-1500m /1500-3000m
Gases	1 gas (O2 21 - 50%)	up to 3 gases (Oxygen 21 - 99%)	up to 3 gases (O2 21 - 99%)	1 gas (O2 21 - 50%)	up to 3 gases (O2 21 - 99%)	up to 10 gases (O2 5 - 99% / Helium 0 -95%)
Gas max pO2	1.2 - 1.6	1.6	1.2 - 1.6	1.2 - 1.6	1.2 - 1.6	manual 0.5-1.6/ fixed 1.6
Timer	yes	yes	yes	yes	yes	yes
No-decompression planner	yes	yes	yes	yes	yes	yes
Logbook memory	~140 h (20s sampling rate)	200h or 400 dives which comes first	~140 h (20s sampling rate)	~140 h (20 s sampling rate)	~140 h (20 s sampling rate)	200 h
Gas switching	-	yes	yes	-	yes	yes
Trimix (mixed gas)	-	-	-	-	-	yes
Rebreather (CCR)	-	-	-	-	-	yes
Custom displays	-	4 per dive mode	-	-	-	4 per dive mode
Dive time	yes	yes	yes	yes	yes	yes
Maximum depth	yes	yes	yes	yes	yes	yes
Tank pressure	yes	yes	yes	-	yes	yes
Apnea timer (O2/CO2 tables)	yes	-	yes	yes	yes	-
Diluents	-	-		-	-	up to 10 diluents (O2 5 - 99% / Helium 0 - 95%)



• Twin lens with tempered glass

Clear Skirt:

Black...DBMA36+-K Blue Trans...DB1MA36+-BT Yellow...DB1MA36+-Y

Black Skirt:

Black...DB1MA36+-KK Orange...DB1MA36+-O Yellow...DB1MA36+-KY







- Silicone skirt & strap
- Swivel Buckles
- Twin lens w. tempered glass

Clear Skirt: Blue...DBM282-B

Pink...DBM282-Pi

Black Skirt: White...DBM282-KW

Yellow...DBM282-KY



- Twin lens w. tempered glass
- Low volume

SUPER COMFORTABLE

Black Skirt:

Yellow...DBMD89-KY

Clear Skirt:

Blue...DBMD89-B Pink...DBMD89-Pi



- Silicone skirt & strap
- Swivel buckles
- Twin lens w. tempered glass
- Extra low volume

Black Skirt:

Black...DBMC24-KK Blue...DBMC24-KB Pink...DBMC24-KPi

White...DBMC24-KW



- Swivel buckles
- Extra low volume





- Silicone skirt & strap
- Replaceable clip-on buckles
- Single lens w. tempered glass
- Extra low volume





Black Skirt:

Black...DBMC23-KK



- Single lens w. tempered glass
- Ultra Soft Silicone skirt (Black matte)
- Silicone strap (Black)
- Standard buckles, easy to adjust
- Available in Black/Yellow w. Black Skirt



- Swivel buckles
- Extra low volume
- Silicone skirt & strap
- Single lens w. tempered glassAvailable in blue, pink & yellow







- UV+420cut™ lens technology filters out HEV and UV light without affecting how colors appear
- Interchangeable lens system makes it easy to install optional optical lenses

 • Available with a choice of skirts to suit
- western or Asian dive markets as well as divers with small face shapes
- Rotating buckles work with a new blackon-black Comfort Strap to optimize range of motion and achieve a comfort able, watertight fit
- Includes an adapter for mounting a HUD hands-free dive computer
- Packaged in a durable molded fabric transport box.
- Optional lenses available: Optical lenses (6x positive +1.5 to +4.0/8x negative -1.5 to -5.0); Bi-Focus lenses (3x positive +1.0 to +3.0

D Mask, Black Asian ...X24.250.300 Color Kit. Black...X24,252,101 Color Kit, Blue...X24.252.102 Color Kit. Turquoise...X24,252,103 Color Kit, Pink...X24.252.104 Color Kit. Yellow...X24.252.105

Tel: +66 (76) 383 414-6 | Fax: +66 (76) 281 525 Email: sales@divesupply.com | www.divesupply.com

Bifocus Lens fit Left, D-Masks, +1.0 to +3.0...X24.255.0xx Bifocus Lens fit Right, D-Masks, +1.0 to +3.0...X24.255.1xx

FULL FACE SNORKELLING Size S, Blue...DBFfaceS-B Size S, Pink...DBFfaceS-Pi Size L, Blue...DBFfaceL-B Size L, Pink...DBFfaceL-Pi B Pi • EASY BREATHING - Natural breathing through the nose or mouth • EASY DRESSING - Adjustable elastic textile strap • ANTI-FOGGING - An exclusive air circulation concept, that prevents the formation of fog • WATERPROOF - The "Dry Top" snorkel system limits water entry through the top of the snorkel • FIELD OF VISION - Panoramic field of vision WATER DRAINAGE - Purge valve at the bottom of the mask, to drain water when the head is raised • Action camera mount Sizes: S. I.











- Swivel buckles
- Single lens w. tempered glass
- Frameless, low-volume design
- Re-usable mask box included

X24.156.100

Black...X24.108.100

White...X24.108.600






































- Semi-dry top design prevents water entry into tube
- Standard universal snorkel keeper
- PVC Flex tube



• Simple J-Tube



- Purge valve at lowest point for effortless clearing
- Semi-dry top design prevents water entry into tube
- Standard universal snorkel keeper
- Flexible, corrugated joint drops snorkel from face when not in use



- Ergonomic silicone mouthpiece for added comfort
- Purge valve at lowest point for effortless clearing
 • Semi-dry top design prevents water
- entry into tube
- Standard universal snorkel keeper
- Flexible, corrugated joint drops snorkel from face when not in use



- added comfort
- Purge valve at lowest point for effortless
- clearing
 Semi-dry top design prevents water entry into tube
- Standard universal snorkel keeper
- Flexible, corrugated joint drops snorkel from face when not in use



- Comfortable silicone mouthpiece (for kids)
- Purge valve at lowest point for effortless clearing
- Semi-dry top design prevents water entry into tube
- Standard universal snorkel keeper
- Simple J-Tube (for kids)
- Available in Turquoise w. colourful coral motive



- PVC mouthpiece
- Purge valve at lowest point for effortless clearing
- Semi-dry top design prevents water entry into tube
- Unique strap holder built into the tube
- Simple J-Tube




- Semi-dry top design prevents water entry into tube
- Unique strap holder built into the tube
- Simple J-Tube





- Purge valve at lowest point for effortless clearing
- Semi-dry top design prevents water entry into tube
- Standard universal snorkel keeper
- Simple J-Tube















- Flexible, corrugated joint drops snorkel from face when not in use
 • Ergonomic, replaceable high grade silicone
- mouthpiece
- Purge valve for ease of clearing
- Adjustable snorkel keeper w.removable clip
 Integrated whistle for added safety (NEW)







- Oversized & durable frame reduces drag Oversized & durable frame reduces drag
 Comfortable leak-resistant hypoaller genic bio-silicone skirt
 Crystal clear wrap-around lens provides clear 180-degree visibility
 Anti-fog & scratch resistant lenses provide 100% UV protection
 Pulsar buckle system allows for quick strap adjustment with just a touch
 Protective storage pouch



- Anti-fog lens w. enhanced peripheral
- Soft silicone watertight seal
 Comfortable wrap-around lens provides high visibility

 • Quick release buckle system & silicone

- Protective storage pouch included
 Anti-fog lens with enhanced peripheral vision & UV protection





- Comfortable silicone sealLenses w. 100% UV protection & anti-fog coating Easy adjustable head strap
- Interchangeable nose bridge



- Comfortable silicone sealLenses w. 100% UV protection & anti-fog
- coating
 Easy adjustable head strap
- Interchangeable nose bridge









S-M, Blue...DB1SP3-SM-B S-M, Black...DB1SP3-SM-K S-M, Black/Yellow...DB1SP3-SM-KY S-M, Orange...DB1SP3-SM-O S-M, Yellow...DB1SP3-SM-Y L-XL, Blue...DB1SP3-LXL-B L-XL. Black...DB1SP3-LXL-K L-XL, Black/Yellow...DB1SP3-LXL-KY L-XL, Orange...DB1SP3-LXL-O L-XL, Yellow...DB1SP3-LXL-Y

- Mask "Bora Plus" w. silicone skirt
- (Mask details page 20)
 Snorkel "Manta Plus" w. Semi-dry top design (Snorkel details page 24)
 Fins "Speed 3" Adjustable, sizes: S-M, L-XL (Fins details page 29)
 Re-useable large mesh bag with shoulder





В

Mesh bag: Blue...DB2Bag-B Black...DB2Bag-KK Black/Yellow...DB2Bag-KY Orange...DB2Bag-O Yellow...DB2Bag-Y Clamshell:

Blue...DB2Clam-B Black...DB2Clam-KK Black/Yellow...DB2Clam-KY Orange...DB2Clam-O Yellow...DB2Clam-Y

- Mask "Bora Plus" w. silicone skirt (Mask details page 20) Snorkel "Manta Plus" w. Semi-dry top
- design (Snorkel details page 24)
- Clamshell or re-useable mesh bag



- Mask "Mako" w. silicone skirt (Mask
- Mask Mako W. Silicone skirt (Mask details page 20)
 Snorkel "Mako" w. Semi-dry top design (Snorkel details page 24)
 Clamshell or re-useable mesh bag



В

Mesh bag:

Blue...DBOrcB-B Yellow DBOrcB-KY Pink...DBOrcB-Pi

Clamshell:

Blue...DBOrcC-B Yellow DBOrcC-KY Pink...DBOrcC-Pi

- Mask "Orca" w. silicone skirt (Mask details page 20)
 Snorkel "Orca" 100% Silicone

- (Snorkel details page 25) Clamshell or re-useable mesh bag





Black...DBCvtB-KK Pink...DBCvtB-KPi White...DBCvtB-KW

Clamshell: Blue...DBCvtC-KB Black...DBCvtC-KK Pink...DBCvtC-KPi White...DBCvtC-KW

- Mask "Covert" w. silicone skirt (Mask details page 20) Snorkel "Covert" 100% Silicone (Snorkel details page 25) Clamshell or re-useable mesh bag





XTREME

MASK & SNORKEL SET



Mesh bag: Blue...DBXtrB-B White...DBXtrB-KW Yellow...DBXtrB-KY Pink...DBXtrB-Pi

Clamshell:

Blue...DBXtrC-B White...DBXtrC-KW Yellow DBXtrC-KY Pink...DBXtrC-Pi

- Mask "Xtreme" w. silicone skirt (Mask details page 20)
 Snorkel "Xtreme" w. Dry Top (Snorkel details page 25)
 Clamshell or re-useable mesh bag















Black, S-M...DBF770-S/M-K Black, ML-XL...DBF770-ML/XL-K Blue, S-M...DBF770-S/M-B Blue, ML-XL...DBF770-ML/XL-B Pink, S-M...DBF770-S/M-Pi Yellow, S-M...DBF770-S/M-Y Yellow, ML-XL...DBF770-ML/XL-Y

- Travel-friendly short blade desian
- Adjustable strap allows for wide foot range
- Soft & flexible blade

CLASSIC OPEN HEEL

VIRTUALLY INDESTRUCTIBLE used by Navy Divers world-wide

LIMITED STOCK SPECIAL ORDER

REGULAR STOCK

Κ

Ergonomic foot pocketNon slip protectionIdeal for snorkeling

JET FINS

REGULAR STOCK:

Black, M.,,X25.365.300M Black, L...X25.365.400L Black, XL...X25.365.500XL

Black, XXL...X25.365.600XXL

LIMITED STOCK SPECIAL ORDER:

Proven vented design decreases drag on the upstroke & enhances thrust on the down-stroke Choice of combat & tactical units worldwide Water flows-thru vents on

Camo Pink/White, M...X25.372.300M Blue Camo, XXL...X25.376.600XXL Camo Grey/White, XXL...X25.380.600XXL



Green, ML-XL...DBFA23MLXL-G Pink, S-M...DBFA23MLXL-Pi Pink, ML-XL...DBFA22SM-Pi Yellow, S-M...DBFA22SM-Y Yellow, ML-XL...DBFA23MLXL-Y

- Travel-friendly short blade desian
- Adjustable strap allows for wide foot range
- Soft & flexible blade
- Ergonomic foot pocketNon slip protectionIdeal for snorkeling



Black, Travel 2XS...X25.740.000/2XS Black, Travel XS-S...X25.740.150/XS-S Black, Travel M-L...X25.740.300/M-L Black, Travel XL...X25.740.500/XL White, Travel XS-S...X25.741.150XS-S White, Travel M-L...X25.741.300M-L White, Travel XL...X25.741.500XL

Purple, Rental 3XS...X25.743.090/3XS Green, Rental 2XS...X25.743.000/2XS Blue, Rental XS-S...X25.743.150/XS-S Yellow, Rental M-L...X25.743.300/M-L Orange, Rental XL...X25.743.500/XL Grey, Rental 2XL...X25.743.600/2XL

Strap Colours:











- The new phenomenon in fin rental; comfortable, practical durable & affordable
 Monprene ® TPE (Thermo plastic Elastomer)
 Made from monprene using single mould construction -virtually indestructible
 Bootlage good beginning

- Bootless open heel configu
- Marine grade bungey, name plate, integral storage feature
- Teature
 Colour coded fin strap
 colours: Blue, Green, Grey,
 Orange, Purple, Yellow. Also
 available in all sizes with a available in all sizes black strap for retai



Black, S...DBF367-S-K Black, M...DBF367-M-K Black I DBF367-I-K Black, XL...DBF367-XL-K

Blue, 5XS...DBF367-5XS-B Blue, 4XS...DBF367-4XS-B Blue, XS...DBF367-XS-B Blue, S...DBF367-S-B Blue, M...DBF367-M-B Blue, L...DBF367-L-B Blue, XL...DBF367-XL-B

Yellow, 5XS...DBF367-5XS-Y Yellow, XS...DBF367-XS-Y Yellow, M...DBF367-M-Y Yellow, L...DBF367-L-Y Yellow, XL...DBF367-XL-Y

- Soft & flexible blade
- Flexible centre section to channel water
- Ergonomic foot pocket
- Non slip protection • Ideal for snorkeling




Black, S-M...DBFB86SM-K Black, L-XL...DBFB85LXL-K Blue Trans, S-M...DBFB86SM-BT Blue Trans, L-XL...DBFB85LXL-BT Orange, S-M...DBFB86SM-O Orange, L-XL...DBFB85LXL-O Yellow, S-M...DBFB86SM-Y Yellow, L-XL...DBFB85LXL-Y


Kids:

Blue Trans, S-M, ...DBFB87SM-BT Blue Trans, M-L...DBFB88ML-BT Blue Trans, L...DBFB89L-BT Pink Trans, S-M...DBFB87SM-PiT Pink Trans, M-L...DBFB88ML-PiT Pink Trans, L...DBFB89L-PiT Yellow, S-M...DBFB87SM-Y Yellow, M-L...DBFB88ML-Y Yellow, L...DBFB89L-Y

- Travel-friendly short blade
- design
 Adjustable strap allows for
- wide foot range Soft & flexible blade
- Ergonomic foot pocket Ideal for snorkeling
- Non slip protection



						dia.				
	Inte	International Sizing		3XS	2XS	XS-S	M-L	XL	XXL	
	Q n	s Q	UK	EU	3/\3	2/\3	\ \ \	IVI-L	Z.	\\\
	10 K	KIDS	8	27	•					
	11 k	KIDS	10	28	•					
	12 k	KIDS	11	29	•					
	13 k	KIDS	12	30	•	0				
	1 K	IDS	13	31-32	0	•				
	2 K	IDS	1	33		•			-	
	3	4	2	34		•				
	4	5	3	35-36		•	0			
ı	5	6	4	37		0	•			
	6	7	5	38			•			
	7	8	6	39-40			•	0	-	
	8	9	7	41			0	•		
	9	10	8	42				•	-	
ı	10	11	9	43-44				•	0	
	11	12	10	45				0	•	
ı	12	13	11	46					•	0
	13	14	12	47					•	•
	14	15	13	48-49					0	•



weaker down-stroke



Seawing Nova:

Black, XS...X25.731.100XS Black, S...X25.731.200S Black, M...X25.731.300M Black, L...X25.731.400L Black, XL...X25.731.500XL White, XS...X25.732.100XS White, S...X25.732.200S White, M...X25.732.300M White, L...X25.732.400L White, XL...X25.732.500XL Pink, XS...X25.735.100XS Pink. S...X25.735.200S Pink, M...X25.735.300M

- Award-winning design
- Fine-tuned to provide increase in stiffness & snap
- Ergonomic foot pocket with extended heel plate
- Wing tips arc upwards, increasing high-speed stability • Better frog-kick-ability
- Marine quality bungee heel
- straps
 Ideal for Diving

F100 PRO

FULL FOOT FINS

Pi K B Y Black, 40/41...B9292-K Black, 40/41...B9292-K Black, 42/43...B9293-K Black, 44/45...B9294-K Black, 46/47...B9295-K Blue, 36/37...B9290-B Blue, 38/39...B9291-B

Blue, 40/41...B9292-B Blue, 42/43...B9293-B

Blue, 44/45...B9294-B Blue, 46/47...B9295-B Pink, 36/37...B9290-P

Pink, 38/39...B9291-P Red, 36/37...B9290-R

Red. 38/39...B9291-R Red, 42/43...B9292-R Red, 40/41...B9293-R

Yellow, 36/37...B9290-Y Yellow, 38/39...B9291-Y Yellow, 40/41...B9292-Y Yellow, 42/43...B9293-Y Yellow, 44/45...B9294-Y

Yellow, 46/47...B9295-Y



WK

Regular Stock:

Black, XS...X25.761.100XS Black, S...X25.761.200S Black, M...X25.761.300M Black, L...X25.761.400L Black, XL...X25.761.500XL White, XS...X25.762.100XS White, S...X25.762.200S White, M...X25.762.300M White, L...X25.762.400L White, XL...X25.762.500XL

Regular Stock:

Army Green...X25.328.000 Green...X25.328.010 Silver...X25.328.025 Purple...X25.328.050 Blue...X25.328.200 Turquoise...X25.328.250 Orange...X25.328.400 Yellow...X25.328.500 Pink...X25.328.700

seac

CHOICE OF

- Lightweight design
 Open heel "boot-fit" design
 Self-adjusting bungee heel strap
 Ultra-strong 100% Monprene® construction
- In-water performance delivers speed, power, stability and maneuverability
 Fins fit easily in IATA carry-on compliant luggage.
 Skegs mounted on blade ends minimize sideslip and
- maximize stability.

 Fins are available in black, blue, yellow or white.



Limited Stock Special Order:

Yellow, XS Sp/O...X25.763.100XS Yellow, X Sp/O...X25.763.200S Yellow, S Sp/O...X25.763.200S Yellow, M Sp/O...X25.763.300M Yellow, L Sp/O...X25.763.400L Yellow, XL Sp/O...X25.763.500XL Blue, XS Sp/O...X25.764.100XS Blue, S Sp/O...X25.764.200S Blue, M Sp/O...X25.764.300M Blue, L Sp/O...X25.764.400L Blue, XL Sp/O...X25.764.500XL





Large blade for a more powerful response in

External ribbings for blade support
 Ergonomic open heel foot pocket w.non slip

• Flexible water channels for increased

Ideal for Scuba Diving
Propution with rubber strap
Propution S with sling strap

the water

efficiency

protection

PROPUTION S

OPEN HEEL FINS

seac

Pi K B Y W

S/M, M/L, L/XL - W...B71043 S/M - B, K, P, Y...B538 M/L - B, K, Y...B539 L/XL - B, K, Y...B540











Black, XL...SJFPRO3/XL-K Green, L...SJFPRO2/L-G Pink, M...SJFPRO1/M-P Pink, L...SJFPRO2/L-P Yellow, XL,...SJFPRO3/XL-Y

Material: 100% Rubber

- Proven Vented Design (Excellent propulsion)
 Provides Exceptional Speed with Minimal
- Vents Reduce Pressure, Providing less strain on leg
- Angle of the vent reacts as a solid blade on upstroke
- upstroke

 Slightly positive buoyant in saltwater, neu
 trally fin in fresh water

 Preferred fin type by Scuba Instructors &
 Diving Professionals
- Open heel with heavy duty dual bungee
- Open fleet with fleavy duty dual but cord straps
 Colours: Black, Green, Pink, Yellow
- Sizes: M, L, XL

Κ



 Researched & created for heavy duty intensive use

Large blade for a more powerful response in the water

- Flexible water channels for increased Extra solid external ribbings
- Ergonomic foot pocket w. non slip protection
- Ideal for Dive Centres



Durable rubber construction

Drag-reducing vents
 Soft foot pocket
 Semi rigid side rails for blade stability
 Adjustable rubber heel straps

Ideal for Diving





SCUBAPRO High Boots: 3XS/4...X57138/3XS 3XS/4...X5/138/3XS 2XS/5...X57138/2XS XS/6...X57138/XS S/7...X57138/S M/8...X57138/M L/9...X57138/L XL/10...X57138/XL 2XL/11...X57138/2XL 3XL/12...X57138/3XL

Short Boots:

3XS/4...X57166/3XS 2XS/5...X57166/2XS XS/6...X57166/XS S/7...X57166/S M/8...X57166/M L/9...X57166/L XL/10...X57166/XL 2XL/11...X57166/2XL



- Delta boot, 5mm comfort & protection,
- available in 3XS-3XL
 Delta short boot, 3mm low-cut & light weight, available in 3XS-2XL

BOOT **SIZE CHART**

Size	Deep Blue	Scubapro	Seac
3XS	4	5	n/a
2XS	5	5.5	23/36-37
xs	6	6	24/37-38
S	7	7	25/38-39
SM	n/a	n/a	n/a
М	8	8	26/40-41
ML	9	8.5	n/a
L	10	9	27/42-43
XL	11	10	28/43-44
2XL	12	11	29/45-46
3XL	n/a	11.5	n/a

DEEP BLUE



M...DBB03-M

L...DBB03-L XL...DBB03-XL

SEAC

High Boots:

2XS...B67900-XXS

XS...B67900-XS

S...B67900-S

M...B67900-M

XL...B67900-XL

2XL...B67900-XXL



• Neoprene sock, 2mm Size XXS - XXL

DEEP BLUE Classic Boots:

2XS...DBB01B-XXS XS...DBB01B-XS

S...DBB01B-S M...DBB01B-M ML...DBB01B-ML

L...DBB01B-L XL...DBB01B-XL 2XL...DBB01B-XXL

Nautilus Boots:

2XS...DBB01C-XXS XS...DBB01C-XS

S...DBB01C-S M...DBB01C-M

ML...DBB01C-ML L...DBB01C-L XL...DBB01C-XL

Reef Half Boots:

3XS...DBB02A-XXXS 2XS...DBB02A-XXS

XS...DBB02A-XS S...DBB02A-S M...DBB02A-M

ML...DBB02A-ML

L...DBB02A-L XL...DBB02A-XL

2XL...DBB02A-XXL



- Nautilus boots, 5mm available in 2XS-XL
- High boots w. orange insert, 5mm available in 2XS-2XL
- Half boots w. pull cord, 3mm available in 3XS-2XL

31...DBB04-31 32...DBB04-32

44...DBB04-44 45...DBB04-45

30...DBB05-30

46...DBB05-46

45 DBB06-45

BEACH WALKER

Aloha - Orange:

30...DBB04-30

33...DBB04-33 etc.

46...DBB04-46

Aloha - Blue:

31...DBB05-31 32...DBB05-32

etc.

44 DRR05-44 45...DBB05-45

Aloha - Blue Trim:

35...DBB06-35 36...DBB06-36 37 DBB06-37

38...DBB06-38 etc.

44...DBB06-44

Available in 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46

SEAC

seac

GLOVES High Boots:

XS...B64600-XS



• Tropic HD glove, 1.5mm Size XS

SCUBAPRO GLOVES 1.5mm

Tropic Gloves, Flamingo

2XS...X580340/XXS

S...X580342/S



Tropic Gloves, Aege

2XS...X580320/XXS

XS...X580321/XS S...X580322/S M...X580323/M

I X580324/I



Tropic Gloves, Black

S X580352/S M...X580353/M I X580354/L XL...X580355/XL



Tropic Gloves

XL...X58325/XL 2XL...X58325/XXL



Tropic Gloves, Black

2XS...X58326/XXS XS...X58326/XS

XL...X58326/XL 2XL...X58326/XXL



Seamless Gloves

XS...X580001/XS S...X580002/S

M...X580003/M I X580004/I XL...X580005/XL



DEEP BLUE **GLOVES**



XS...DBG01-XS S DBG01-S M...DBG01-M I DBG01-L XL...DBG01-XL

• Tropic glove, 1.5mm Size XS - XL

• Basic HD boots, 5mm available in 2XS-2XL



- 2XS...DBADS01-XXS
- XS...DBADS01-XS S...DBADS01-S
- M...DBADS01-M
- L...DBADS01-L
- XI DRADS01-XI
- 2XL...DBADS01-XXL 3XL...DBADS01-XXXL
- Add your own logo on chest
- 3mm shorty / Black
 Quality CR neoprene (CR = Chloroprene Rubber)
- Back zipper, YKK
- Rolled seams on edges
- Flat comfortable seams
- Sizes: XXS-XXXL
- Size indication on zipper band


- XS...DBADS02-XS
- S...DBADS02-S M...DBADS02-M
- I DRADS02-I XL...DBADS02-XL
- 2XL...DBADS02-XXL
- Add your own logo on chest3mm shorty / black w. blue

- panels
 Standard neoprene
 Back zipper, YKK
 Rolled seams on edges
- Flat comfortable seams
 Sizes: XS-XXL
- Size indication on zipper band

- 2XS...DBADS04-XXS
- XS...DBADS04-XS S...DBADS04-S
- M DRADS04-M
- L...DBADS04-L
- XI DRADS04-XI
- 2XL...DBADS04-XXL 3XL...DBADS04-XXXL
- Add your own logo on chest • 3mm shorty / black w. blue
- stitching
 Standard neoprene
 Back zipper, YKK
 Rolled seams on edges

- Flat comfortable seams
 Sizes: 3XS-3XL
- Size indication on zipper band

WETSUIT SIZE CHART





Black M DBI R2K-M Black, L...DBLR2K-L Black, XL...DBLR2K-XL Black, 2XL...DBLR2K-XXL Black, 2XS...DBLR1K-XXS Black, XS...DBLR1K-XS Black, S...DBLR1K-S Black, M...DBLR1K-M Black, L...DBLR1K-L Black, XL...DBLR1K-XL

Black, 2XL...DBLR1K-XXL

Black/Blue, 2XS...DBLR1KB-XXS Black/Blue, XS...DBLR1KB-XS Black/Blue, S...DBLR1KB-S Black/Blue, M...DBLR1KB-M Black/Blue, L...DBLR1KB-L Black/Blue, XL...DBLR1KB-XL Black/Blue, 2XL...DBLR1KB-XXL

Black/Grey, 2XS...DBLR1KGy-XXS Black/Grey, XS...DBLR1KGy-XS Black/Grey, S...DBLR1KGy-S Black/Grey, M...DBLR1KGy-M Black/Grey, L...DBLR1KGy-L Black/Grey, XL...DBLR1KGy-XL Black/ Grey, 2XL...DBLR1KGy-XXL

- The optimal body wear for water sports or any outdoor activities
- Light weight & instant drying
- Tie down loop for surfers
 Colours: Black, Black/Blue, Black/Grey & Black with Blue screen



UNISEX STEAMER

STEAMER SIZE CHART

• Wrist & ankle zippe

Position	XS	S	М	L	XL	XXL	3XL
Chest	84	88	92	96	100	104	108
Waist width	69	73	77	81	85	89	93
Hip width	84	88	92	96	100	104	108
Length of neck to crotch	68	70	72	74	76	78	80
Neck circum- ference	35	36	37	38	39	40	41

LOOSE FIT LYCRA



2XS...DBLRLF-XXS

XS...DBLRLF-XS

S...DBLRLF-S

M...DBLRLF-M L...DBLRLF-L XL...DBLRLF-XL

2XL...DBLRLF-XXL

- The optimal body wear for water sports or
- any outdoor activities

 Light weight & instant drying
- Unisex designTie down loop for surfers
- UPF-50 (Ultraviolet Protection Factor)
 Material: 82% Nylon, 18% Spandex





Men, XS...X63353/XS

Lady, XXS...X63354/L Lady, M...X63354/M Lady, L...X63354/XXS

- X-Foam eco-friendly neoprene & solvent free glue for better health & environmental protection
- mooth-cut neckline
- New PVC zip ends adds stylish & durable finishing
 • Glideskin seals
- New heliospan torso lining for added protection & insulation
- 3D design shoulder pads & Tatex kneepadsPowertex anti-abrasion
- 2x I-Safe straps
- Compression lumbar & spine pad



Lady, 5mm, XL...X64464XL

Men, 3mm, L...X64470L Men, 3mm, XL...X64470XL Men, 5mm, XL...X64473XL

A serious suit for serious divers. The Thermal TEC is a perfect combination of advanced materials & thoughtful construction, creating a suit of outstanding durability, comfort & insulation. Main suit sections are made of durable & fast drying N2S neoprene. Wrist & ankle zippers for divers ease of wear.



Lady, 2XS...X63447/XXS Men, S...X630372/S Men, M...X630373/M Men. L...X630374/L Men, XL...X630375/XL

- 0.5mm nylon neoprene outside for durability & Silverskin inside for easy wear. Silverskin is an ultra-smooth interior finish. It consists of a cell finish with 'metalite' coating for extra warmth retention. It dries fast & seals extremely well. It is also used on hood &
- Non-chaffing flat seams for insured comfort directly against your skin. Flat seam construction is a stitching pattern that provides comfort, strength & flexibility on warm water suits
 • Thumb & foot straps, for added
- convenience

 Back zipper for great ergonomics
- Men's & women's dedicated sizes & colours



- Made from X-Foam neoprene, the only "green" neoprene that complies with P.A.H. regulations
 • The "body map" system uses special tailoring & material inserts to compen
- sate for the stresses of the human body

 Ultraspan chest panel & Stretchtec side panels work together to produce a
- highly flexible & snug fit
 Infrared (IR) fleece interior lining reflects body heat for extra thermal
- insulation & is extremely soft against the skin

 Zippered seals at wrists & ankles plus a rear diagonal zipper block water
- entry, are comfortable & make the suit easy to put on & take off
 Abrasion resistant fabric on shoulders & seat, along with elbow pads &
- kneepads, increase long-term durability Spine pad cushions the tank, providing a ditional comfort during extended
- Small neck zipper enhances topside comfort, eliminating the need to remove
- I-Safe strap keeps a wrist instrument securely attached



- Made with 100% Everflex neoprene and are assembled using solvent-free water-based Aqua glue
- Multi-thickness panels deliver a superior combination of warmth and flexibility.
 • The Innovative Pure Design Concept uses fewer seams and panels for
- maximum range of motion.

 Double blind-stitched outer seams, and single blind-stitched inner seams are durable, watertight and comfortable against the skin.

 The Diamond Span inner lining's water-draining material enhances cold water
- protection and improved stretch.

 Wrists and ankles feature fuse-cut finished cuffs that are super-stretchy.
- A small neck zipper enhances topside comfort.
 Diagonal rear YKK zipper with brass slider offers increased long-term durability and ease of use
- Compression-molded zipper flap/spine pad reduces water entry and increases back protection.

 Tatex knee and shoulder pads offer protection against abrasion.
- Seat area is protected by an abrasion-resistant outside lining to increase durability and extend the life of the suit.



Unique styling keeps you warm, comfortable & looking good. Worn alone or over a dive suit, their added pockets are a diver's favorite.



- Clear lenses
- Soft silicone skirt uses a
- double-seal system Traditional buckles attach to the skirt
- Wide headband allows for a comfortable fit



- 2.5mm throughout100% Everflex neoprene
- Light graphic print on side
- panels & head
 Glide skin interior (black)



Constructed of high-stretch 100 percent Everflex neoprene for maximum comfort & durability Extremely stretchy Silverskin

lining feels good against the skin & provides a good seal to minimize water transfer



Lady, Blue/White XS...X63280/XS

Lady, Black XL...X63264/XL

Men, Black XS...X63283/XS

- Scubapro-designed T-Flex Rash Guard / Lycra shirt
 High quality, UV-rated FlexTec shirts with close-to-body fit to wear under a suit for added warmth, or used solely as a rashguard for your snorkeling &
- Swimming activities
 Extremely flexible & stretchy, making it super comfortable to wear
 Available with long sleeves & in various colour combinations with two-colour style accents & contrasting outside stitching



Men, Black S...X652312/S M X652313/M L...X652314/L XI X652315/XI 2XL...X652316/XXL 2XL...X652326/XXL

Men, Graphite Lady, Onyx S...X652322/S XS...X657361/XS M X652323/M S...X657362/S L...X652324/L M...X657363/M XI X652325/XI I X657364/I

XL...X657365/XL

- Look sharp while enjoying outstanding protection with the stylish T-FLEX rashie. Made from water-repellant Flex-Tec, the T-FLEX doesn't trap water &
- The thumb-hole wrist design on the long sleeve models makes it easy to wear beneath a wetsuit. When topside, its UPF80 (Ultraviolet Protection Factor) rating provides ample protection from the sun's rays





- UPF 50 rating (blocks 98% of UV radiation)
- High quality polyester: durable, abrasionresistant, good color fastness
- Form-fitting design wears easily under a wetsuit & retains its shape after repeated use
- Flattering color panels & high neck line to prevent uncomfortable chafing
 Material dries quickly to enhance comfort between dives



- Scubapro-designed T-Flex Rash Guard / Lycra shirt
- High quality, UV-rated FlexTec shirts with close-tobody fit to wear under a suit for added warmth, or used solely as a rashguard for your snorkeling &
- swimming activities
 Extremely flexible & stretchy, making it super comfortable
- to wear Available with long sleeves & in various colour combinations with twocolour style accents & contrasting outside stitching



- retains its shape after repeated use & wears easily under a wetsuit Highly versatile – ideal for
- divers, snorkelers, paddle boarders, swimmers & other water enthusiasts too



- Made from high quality polyester fabric
 Form-fitting
 Dries quickly

FUNCTIONAL GEAR THAT LOOKS GREAT



- UPF 80 rating (awarded by UV standard 801)
- Made from a blend of 86% super-soft nylon & 14%
- highstretch spandex The nylon is lightweight & quick drying The spandex provides more
- fabric stretch & allows for comfort & form-fitting styling
- Exceptional strength, abrasion resistance moisture control
- Form-fitting for that sleek
- hydrodynamic look & feel
 Slimming color panels & cut compliment the female body





Size 2XS, Blue...X003.34-2XS Size XS, Blue...X003.36-XS SSize S, Blue...X003.38-S Size M Blue X003 40-M Size L, Blue...X003.42-L Size XL. Blue...X003.44-XL Size 2XL, Blue...X003.46-2XL Size 3XL, Blue...X003.48-3XL Size 4XL, Blue...X003.50-4XL Size 2XS, Pink...X004.34-2XS Size XS, Pink...X004.36-XS SSize S, Pink...X004.38-S Size M, Pink...X004.40-M Size L, Pink...X004.42-L

 100% Cotton, 150 GSM • Scubapro logo on front

Size XL, Pink...X004.44-XL

- "LOVĖ" on back
- Available in Blue and Pink screen





2XS X002 34-2XS XS...X002.36-XS S X002 38-S M...X002.40-M

L...X002.42-L XL...X002.44-XL 2XI X002 46-2XI 3XL...X002.48-3XL 4XL...X002.50-4XL

- 100% Cotton, 150 GSM
- "Deep Down You Want The Best" on front
- Scubapro logo on back







• 12MP - 1/2.3 BSI-CMOS sensor

25-100 mm F2.0-4.9 zoom lens
Sensor-shiftilmage stabilization 3 Fixed type screen
20.0 fps continuous shooting
4K - 3840 x 2160 video resolution

• ISO 100 - 12800

 Built-in wireless Built-in GPS253g 113 x 66 x 32mm

Weather sealed body



OLYMPUS









- For TG-6 digital camera
- Depth rating: 45m
- Retains access to all camera controls
- Can accommodate 2 external flashes
- Supports optional lens accessories
 Dimensions: 6.2 x 4.8 x 3.2" / 157 x 122 x 81mm
- Weight: 1.1 lb / 484g





- Battery level indication
 Control methods: 2 x push buttons
 Control methods: 2 x push buttons
 Power supply: Rechargeable Li-ion battery, 3.7V 5000mAh
 Depth rated: 100m, IPX8 (JIS protection class 8)
 1 x Li-ion battery, 1 x USB charger, 1 x YS adapter, 2 x spare o-rings

UFL-3 **OLYMPUS UNDERWATER STROBE**



- Depth rating: 246' / 75m
- Guide number: 22 m / 72' at ISO 100 when used above
- water at full power

 Effective flash range: not specified by manufacturer

 Angle of coverage: above water: equivalent to that of a 24mm lens (35 mm format)
- Color temperature: 5400K Connectivity: PTCB-E02 fiber optic cable (not included)
- Flash Modes: TTL, Slave & Manual: 10 steps
 Mounting: YS mount (bolt
- included)
- Recycle time: approx. 2.0 sec
 Power source: 4 AA alkaline, NiMH, lithium, or oxy nickel hydroxide (Oxyride) batteries (not included) Dimensions: 2.7 x 4.3 x 5.2" /
- 6.9 x 10.9 x 13.2cm
- Weight: 1.0lb / 0.45kg

WIDE ANGLE OLYMPUS **WET LENS**



OL-UWL400A

- Description: 0.50X underwater wide angle conversion wet lens
- Lens Coating: all glass lens elements with multi-layers AR coating
 Front PC dome lens with hard
- coating
 Field of view (diagonal):
 underwater 120°(with 25mm lens)
- Magnification: 0.50X (on land / underwater)
 • Mount system: M52 thread
- Bezel / body material: ABS / hard anodized aluminum alloy
- Weight: 591g (on land) / 200g (underwater)
- Dimensions: 121.8mm (D) X76mm (H) Standard accessories
- Neoprene dome cover, rea cap, lens secure line (LSL-03)

SEA TOUCH 2 OLYMPUS



OL-ST2PRO80

- Underwater touch screen Underwater touch screen
- focus

 Access to all apps
- underwater
 Wireless charge
- Waterproof 80m Button free design
- Pressure balanceInterchangeable lens
- Waterproof pretest systemIPX8 Standard
- Touch screen life 100,000
- times Weight 290g
- Applicable model iphone 6s /7/ 8 / 6s+ / 7+ / 8+ / X / XR / XS / XS MAX

SEATOUCH 2 OLYMPUS **PIONEER**



OL-ST2PIO10

- Underwater touch screen Underwater touch screen
- focus
- Access to all apps under water
- Wireless Charge
- Waterproof 10mButton free design
- Pressure balance
- IPX8 Standard
- Touch screen life 100,000 times
- Weight 290g
- Applicable model iphone 6s+/7+/8+/X/XR/XS/



























	5L	10L	15L
Blue	DBBV05-B	DBBV10-B	DBBV15-B
Black	DBBV05-K	DBBV10-K	DBBV15-K
Red	DBBV05-R	DBBV10-R	DBBV15-R
Yellow	DBBV05-Y	DBBV10-Y	DBBV15-Y
Sky Blue	DBBV05-BL	DBBV10-BL	DBBV15-BL
Citrus	DBBV05-Ci	DBBV10-Ci	DBBV15-Ci
Orange	DBBV05-O	DBBV10-O	DBBV15-O
Pink	DBBV05-Pi	DBBV10-Pi	DBBV15-Pi
Purple	DBBV05-Pu	DBBV10-Pu	-



1.5L	3L	5L	10L	15L	20L	30L	40L
DBBA02-B	DBBA03-B	DBBA05-B	DBBA10-B	DBBA15-B	DBBA20-B	DBBA30-B	DBBA40-B
DBBA02-K	DBBA03-K	DBBA05-K	DBBA10-K	DBBA15-K	DBBA20-K	DBBA30-K	DBBA40-K
DBBA02-R	DBBA03-R	DBBA05-R	DBBA10-R	DBBA15-R	DBBA20-R	DBBA30-R	DBBA40-R
DBBA02-Y	DBBA03-Y	DBBA05-Y	DBBA10-Y	DBBA15-Y	DBBA20-Y	DBBA30-Y	DBBA40-Y
DBBA02-BL	DBBA03-BL	DBBA05-BL	DBBA10-BL	DBBA15-BL	-	-	-
DBBA02-Ci	DBBA03-Ci	DBBA05-Ci	DBBA10-Ci	DBBA15-Ci	-	-	-
DBBA02-O	DBBA03-O	DBBA05-O	DBBA10-O	DBBA15-O	-	-	-
DBBA02-Pi	DBBA03-Pi	DBBA05-Pi	DBBA10-Pi	DBBA15-Pi	-	-	-
DBBA02-Pu	DBBA03-Pu	DBBA05-Pu	DBBA10-Pu	-	-	-	-
	DBBA02-B DBBA02-K DBBA02-R DBBA02-Y DBBA02-BL DBBA02-Ci DBBA02-O DBBA02-Pi	DBBA02-B DBBA03-B DBBA02-K DBBA03-K DBBA02-R DBBA03-R DBBA02-Y DBBA03-Y DBBA02-BL DBBA03-BL DBBA02-CI DBBA03-CI DBBA02-O DBBA03-O DBBA02-PI DBBA03-Pi	DBBA02-B DBBA03-B DBBA05-B DBBA02-K DBBA03-K DBBA05-K DBBA02-R DBBA03-R DBBA05-R DBBA02-Y DBBA03-Y DBBA05-Y DBBA02-BL DBBA03-BL DBBA05-BL DBBA02-Ci DBBA03-Ci DBBA05-Ci DBBA02-O DBBA03-O DBBA05-O DBBA02-Pi DBBA03-Pi DBBA05-Pi	DBBA02-B DBBA03-B DBBA05-B DBBA10-B DBBA02-K DBBA03-K DBBA05-K DBBA10-K DBBA02-R DBBA03-R DBBA05-R DBBA10-R DBBA02-Y DBBA03-Y DBBA05-Y DBBA01-Y DBBA02-BL DBBA03-BL DBBA05-BL DBBA10-Y DBBA02-CI DBBA03-CI DBBA05-CI DBBA10-CI DBBA02-CI DBBA03-CI DBBA05-CI DBBA10-CI DBBA02-PI DBBA03-PI DBBA05-PI DBBA10-PI	DBBA02-B DBBA03-B DBBA05-B DBBA10-B DBBA15-B DBBA02-K DBBA03-K DBBA05-K DBBA10-K DBBA15-K DBBA02-R DBBA03-R DBBA05-R DBBA10-R DBBA15-R DBBA02-Y DBBA03-Y DBBA05-Y DBBA10-Y DBBA15-Y DBBA02-BL DBBA03-BL DBBA05-BL DBBA10-BL DBBA15-BL DBBA02-CI DBBA03-CI DBBA05-CI DBBA10-CI DBBA15-CI DBBA02-PI DBBA03-PI DBBA05-PI DBBA10-PI DBBA10-PI	DBBA02-B DBBA03-B DBBA05-B DBBA10-B DBBA15-B DBBA20-B DBBA02-K DBBA03-K DBBA05-K DBBA10-K DBBA15-K DBBA20-K DBBA02-R DBBA03-R DBBA05-R DBBA10-R DBBA15-R DBBA20-R DBBA02-Y DBBA03-Y DBBA01-Y DBBA15-Y DBBA20-Y DBBA02-BL DBBA03-BL DBBA01-BL DBBA15-BL - DBBA02-CI DBBA03-CI DBBA01-CI DBBA15-CI - DBBA02-CO DBBA03-CO DBBA03-CO DBBA10-CO DBBA15-CI - DBBA02-PI DBBA03-PI DBBA05-PI DBBA10-PI DBBA15-PI -	DBBA02-B DBBA03-B DBBA05-B DBBA10-B DBBA15-B DBBA20-B DBBA30-B DBBA02-K DBBA03-K DBBA05-K DBBA10-K DBBA15-K DBBA20-K DBBA30-K DBBA02-R DBBA03-R DBBA05-R DBBA10-R DBBA15-R DBBA20-R DBBA30-R DBBA02-Y DBBA03-Y DBBA05-Y DBBA10-Y DBBA15-Y DBBA20-Y DBBA30-Y DBBA02-BL DBBA03-BL DBBA05-BL DBBA10-BL DBBA15-BL - - DBBA02-CI DBBA03-CI DBBA05-CI DBBA10-CI DBBA15-CI - - DBBA02-CO DBBA03-D DBBA05-PI DBBA10-CI DBBA15-PI - - DBBA02-PI DBBA05-PI DBBA10-PI DBBA15-PI - -



- Perfect for all outdoor activitiesWaterproof ultra light 210T
- polyester w. clear window
 Durable, wipe clean & easy to store away
 Folding locking system
 Shoulder strap included

- Protects contents from water, sand, dust
- Not suitable for full submersion







	Kr	abi	Lij	pe	Phuket		
	5L	10L	5L	10L	5L	10L	
Sky Blue	DBBC05Kr-BL	DBBC10Kr-BL	DBBC05Li-BL	DBBC10Li-BL	DBBC05Ph-BL	DBBC10Ph-BL	
Citrus	DBBC05Kr-Ci	DBBC10Kr-Ci	DBBC05Li-Ci	DBBC10Li-Ci	DBBC05Ph-Ci	DBBC10Ph-Ci	
Orange	DBBC05Kr-O	DBBC10Kr-O	DBBC05Li-O	DBBC10Li-O	DBBC05Ph-O	DBBC10Ph-O	
Yellow	DBBC05Kr-Y	DBBC10Kr-Y	DBBC05Li-Y	DBBC10Li-Y	DBBC05Ph-Y	DBBC10Ph-Y	



- Fits most pocket size cameras
- Vision panel to allow clear photographs or video
- Protects contents from water, sand, dust & dirt
- Adjustable nylon lanyard included
- Protected against water submersion (IPX-8)
- Sizes: Large



w. Microphone...DBNEARP

- The 3.5mm stereo jack provides compatibility with most smart phones & music players 100% waterproof to 3m (10ft)
- On/Off switch for clarity when using a
- telephone
 Excellent sound quality in & out of water



- tarpaulin with a lined interior to hold all the











- Constructed from a combination of 420D Nylon NT & 450D Rip-stop
 The interior lining is 150D Polyester
- Internal Velcro straps secure a coiled regulator or console with hoses
- Double slider zipperPadded handle & shoulder strap
- Transparent zippered pouch inside
 Regulator Bag dimensions: 35 x 26 x 10cm,
- Weight: 0.35kg Instrument Bag dimensions: 11.5 x 7 x 15cm, Weight: 0.1kg



X53.310.190

- Bag's exterior is made from a combination of 420D Nylon NT and 450D Rip-stop fabric for strength and durability. The interior
- lining is 150D Polyester fabric.

 Offering lots of gear carrying capacity, the bag folds into a compact package for storage.
- Large main compartment, two front pockets and two inside pockets provide a variety of packing and stowage options.

 • YKK Vision saltwater-resistant double-slider
- zipper is durable and makes accessing the large main compartment that much easier.
- Backpack system plus top handle with rein forced "off-road" skate-style wheels provide multiple transport options.
 Adjustable top handle makes rolling easy
- and convenient. Dimensions (approximate): 32x18x14in / 80x45x35cm. Weight: 5.51lbs/2.5kg.
- Volume: 33.0gal/125L. • Folded dimensions (approximate): 20.4×16.1×6.7in / 52x41x17cm.



- Ideal travel bag with large volumeExterior material combination of 420D Nylon NT, 450D Ripstop & 600D Polyester/
- Inside lining 150D Polyester/PU
- YKK salt water resistant double slider zippers
- Polyester thread
- External compression straps, retractable double bar trolley handle, side, top & bottom carry handles & reinforced saltwater resistant wheels
- Main compartment with U-shaped top,
 2 sides + 1 top flat pockets
 Dimensions: 70 x 40 x 35cm Weight: 3.9kg,
- Volume 98L



- Made of nylon mesh



- Bag opening secures with a top rope fitted
- with a sliding, spring-loaded button closure

 Main compartment handles the larger-sized gear while the front exterior pocket is perfect for small items
- Padded shoulder strap makes it easy to sling the bag for the hike down to the boat or
- Folds into a compact size for storage
 Dimensions: 66 x 39cm diameter Weight: 0.5kg, Volume 80L



- Made of a durable yet lightweight combination of 420D nylon NT, 450D Ripstop and 600D polyester with polyester thread
- Inside lining is made of 150D polyester/PU
- Ultra-soft construction makes it super easy to fold and store when not being used
 Main zippers are YKK saltwater resistant and feature double sliders for easy access
- Padded carry handle lets you conveniently tote or lift the bag over uneven terrain
 Dimensions: 80 x 40 x 35cm Weight: 900g

PELICAN



- Made of 500D heavy-duty PVC Tarpaulin
 Watertight due to heat sealed construction
 Padded backpack system equals convenient, hands-free carrying
- Roll-and-close opening makes for easy access
- Dimensions: 76 x 33 x 20cm, Weight: 0.61kg, Volume 45L



- Made of 500D heavy-duty PVC Tarpaulin
 Retractable double bar trolley handle with reinforced in-line skate wheels, side & top carry handles
- Large main compartment with U-shaped double-slide coil zipper

 • Smaller pockets on the inside & outside

- Conforms to new IATA size regulations
 Side & top carry handles make easy work of lifting the bag into overhead compartments
 Dimensions: 53 x 37 x 19cm,
- Weight: 3.18kg, Volume 37L



MICRO CASE

- N1010: 11.1 x 7.3 x 4.3cm N1020: 13.5 x 9.0 x 4.3cm

- N1030: 16.2 x 6.7 x 5.2cm N1040: 16.5 x 9.8 x 4.4cm

	N1010	N1020	N1030
Blue	N1010-B	N1020-B	N1030-B
Black	N1010-K	N1020-K	-
Red	-	N1020-R	N1030-R



CABLE PADLOCK N1506TSA Fits all Pelican cases TSA approved No key required; choose from 999 combinations













































Tel: +66 (76) 383 414-6 | Fax: +66 (76) 281 525 Email: sales@divesupply.com | www.divesupply.com























Stainless Steel...X32023

- Features a conventional edge, line cutting notch, serrated edge for rope cutting, bottle opener & QR sheath with locking mechanism
- Titanium: extreme resistance to corrosion with durable edge
- Stainless Steel: excellent cutting edge & high resistance to rust
- Blade length: 8.5cm
- Overall length: 19cm



- Cuts through line, net, rope, kelp & thin steel
- Works well in emergency situations where a
- knife might not

 New connector allows for mounting on BCD, weight belt or leg








- Compact stainless steel classic blade plus
- multi-use serrated edge
 Includes locking sheath & kit for BC/ hose attachment
- Blade length: 6.6cm
- Overall length: 14.7cm



- Lanyard eyelet in handle for easy attachment
- Unique curved cutting edge design for pull cutting rather than push cutting, for better safety against accidents
 Contoured shackle spanner tool especially
- useful for boat divers
- Includes polyester case for safe storage & transport
- Overall length of cutter 7.5cm





- Stainless Steel: made of 301 SS , no rust, durable knife blade
- Versatile lanyard included
- Foldable; easy to carry in sheath or pocket
 Blade length: 10cm
- Optional sheath available



- Classic 15.5cm stainless steel blade with hammer in handle
- QR locking sheath




- Corrosion resistant & non-reflective black
- blade
 Sharp tip with half serrated edge & line
- cutter

 Adjustable wrist lanyard

 Compact, lightweight & perfect for carrying on all your diving trips

 Colours: Black, Blue, Green, Pink, Purple, Orange, Yellow

















handle a very comfortable feel.






















Scubapro Weightbelt w. Stainless Buckle - Black...X23.029.100
Scubapro Weightbelt w. Nylon Buckle - Black...X23.030.100
Saekodive Weighbelt w. Buckle - Blue...SAW02-B
Saekodive Weighbelt w. Buckle - Yellow...SAW02-Y
Saekodive Weighbelt w. Buckle - Black...SAW02-K
Deep Blue Weighbelt w. Buckle 1.4m - Blue...M1999+Buc-B
Deep Blue Weighbelt w. Buckle 1.4m - Yellow...M1999+Buc-B
Deep Blue Weighbelt w. Buckle 1.4m - Black...M1999+Buc-K
Seac Rubber Weightbelt w. Stainless Buckle...B197
Seac Rubber Weightbelt w. Nylon Buckle...B198









































Compact carry pouch for BCD attachment

steel ring & snap hook

















































1pc. - Blue...1DA93-1-B 1pc. - Green...TDA93-1-G 1pc. - Black...TDA93-1-K 1pc. - Yellow...TDA93-1-Y









FIN STRAPS / BUCKLES DBF770KIT XZ25.078.000 DBZ52 DBZ50

Sling Strap - Propulsion Fin, Small Yellow...B730023-Y Sling Strap - Propulsion Fin, Regular Blue...B730024-B Sling Strap - Propulsion Fin, Regular Black...B730024-K Sling Strap - Propulsion Fin, Regular Yellow...B730024-Y Spring Strap w. Buck. S, Set...S1775-S Spring Strap w. Buck. M, Set...S1775-M Spring Strap w. Buck. L, Set...S1775-L Spring Strap w. Buck. XL, Set...S1775-XL Spring Strap size S (Set)...S1875-S Spring Strap size M (Set)...S1875-M Spring Strap size L (Set)...S1875-L Spring Strap size XL (Set)...S1875-XL Spring Heel Straps - Jet Fin M...X225.365.305 Spring Heel Straps - Jet Fin L...X225.365.405 Spring Heel Straps - Jet Fin XL...X225.365.505 Spring Heel Straps-Jet Fin XXL...X225.365.605



Seac Sprint Fin Strap, XXS/S...BZ07001 Seac Sprint Fin Strap, S/XL...BZ07002 Saekodive Jet Fin Strap...SA004A









BZ513

Strap Kit for Fin DBF770...DBF770KIT Fin Buckle for DBF770...DBF770BUCKLE Fin Strap for DBF770...DBF770STRAP uick Release Fin Buckle...S271 Propulsion Fin Buckle...BZ513 Twin Jet Strap Kit...XZ25.071.005 Twin Jet Max Strap Kit...XZ25.078.000


S271

Fin Strap for Speed3...DBZ50 Fin Buckle Speed3...DBZ51 2 Buckles for Speed 3...DBZ52





Snap Hook 50mm...SAS-12DF-5 Snap Hook 60mm...SAS-12DF-6 Snap Hook 70mm...SAS-12DF-7 Snap Hook 80mm...SAS-12DF-8



















X10.045.030

CONVERSION



SHOULDER DUMP



Retainer...XZ21.626.102





























XZ01.040.705

















TLP80



Disposable non-rebreathing airways with one-way valve should be changed after each class for maximum instructor convenience & student safety.



The Little Anne manikin is a realistic, inexpensive, lightweight, adult CPR trainer that offers all the essential features. Designed with both the user & instructor in mind. Includes 2 economical, disposable airways for quick & easy cleanup & 2 removable, reusable faces.

KEY RING CPR MASK



CPR pocket size resuscitator mask (S) with key ring



SAR10





- 1 x Oxygen pressure reducer with 2 x demand valve connections, 1 x adjustable 0-25l/min constant flow connection with miniature
- pressure gauge 1 x Demand valve with connection hose LP
- 1 x Adaptor Oxygen Bull nose (CGA540) to DIN (G5/8) 1 x Adaptor PIN Index to DIN (G5/8) 1 x Pocket mask for demand valve &
- Constant flow mask with reservoir,
- LP hose & coupling 1 x transport bag



MO2RegW





Oxygen Field Kit...MO2KIT-1 Oxygen Regulator, Pin-index, 0-25LPM...MO2Reg1 Brass/Viton Washer for Oxy Reg...MO2RegW

PORTABLE OXYGEN FIRST AID KIT

- Oxygen 2 pin index regulator
 3 litre oxygen tank
 Non rebreather mask
- 2 pin index fill adaptor





Oxygen First Aid Kit...MO2KIT-2 Pin-Index - CGA 540 Adaptor...MO2FILL

NON REBREATHER MASK



This disposable mask provides oxygen for breathing divers who cannot tolerate demand valve oxygen regulators or when you have 2 divers who need emergency oxygen.

MAXO2 + OXYGEN ANALYZER

- MaxO2®+A Oxygen Analyzer (incl. Sensor & OxyKnob)
 Comfortable handheld design Impact resistant & drip proof Large 3-digit LCD display

- Long battery life

(approx. 5,000hrs) MR217P52



MaxO2®+A Oxygen Analyzer (Internal Sensor)...MR217P42 MaxO2®+AE Oxygen Analyzer (External Sensor)...MR217P52

for MaxO2®+A...MR125P01-011 for MaxO2®+AE...MR125P03-004



MR125P03-004

MAX 02 ACCESSORIES MR218P19 MR207P17 MRP11P28 1312 OX-SNSR OxyKnob...MR218P19 BC Adapter Maxtec...MRP11P28 Barbed Adapter w. Tubing...MR207P17

XA11.452

OMS O2 Fuel Cell...OX-SNSR

Oxy Spy Sensor Only...XA11.452

Rescue Tape - Clear...TFA64-CL 1" Rescue Tape - Black...TFA64-K Rescue Tape - Orange...TFA64-O 1" Rescue Tape - Red...TFA64-R

RESCUE TAPE





Brite Mark Paint - Black...TPA60-K Brite Mark Paint - Red...TPA60-R Brite Mark Paint - White...TPA60-W Brite Mark Paint - Yellow...TPA60-Y





Accessories








































Cylinder	Service Pressure		Capacity Air		Overall Length		Empty Weight		Min.Internal Volume			
Item No.	psi /	bar	cu.ft.	cu.ft. / litres In. /		/ mm In. / mm		lbs / kg.		cu.in / ltrs		
LL19	3000	207	19.9	563.6	4.38	111.13	18.6	471.4	8.2	3.7	175	2.9
LL40	3000	207	40.0	1132.8	5.30	133.40	24.6	628.7	15.3	6.9	350	5.7
LL50	3000	207	48.4	1370.7	6.89	175.01	19.0	482.6	21.2	9.6	424	6.9
LL63	3000	207	63.0	1784.2	7.25	184.15	21.9	555.0	26.7	12.1	552	9.0
LL80	3000	207	77.4	2192.0	7.25	184.15	26.1	661.9	31.4	14.2	678	11.1
LL100	3300	224	98.8	2798.0	8.00	203.20	26.2	665.7	41.0	18.6	804	13.2





500g carbon...M100-C 1kg Molec. Sieve & 500g Carbon...M100-Pack

MINERAL OIL





MM03



Mineral Oil - 1L...MM01 Mineral Oil - 3L...MM03 Mineral Oil - 5L...MM05

SYNTHETIC OIL



QN28355-5

Synthetic Oil - 1L...QN28355-1 Synthetic Oil - 3L...QN28355-3 Synthetic Oil - 5L...QN28355-5

FELT FOR FILTERS

PER SQ. METER...M105 Felt for Coltri 40mm (20pcs)...M106 BAUER P41 (5set)...M107 BAUER P31 (5set)...M108 LW 260-450 (5set)...M109 LW 160-245 (5set)...M110 BAUER P21 (5set)...M111





MOLECULAR SIEVE








AIR STORAGE & PURIFICATION B-KOOL

The B-KOOL refrigeration dryer from BAUER considerably reduces the running costs of the compressor whilst protecting the environment at the same time.

At locations with particularly high ambient temperatures, B-KOOL assures a remarkably longer life time of the filter cartridge. You will benefit from a lower cost of purchase & storage of filter cartridges, a longer uninterrupted compressor operation & a lower consumption of filter cartridges.

- 200 680 I/min 100 350bar
- Up to 11 times longer life for your filter cartridges!
- Environmentally sound
- Integrated or as stand-alone version
- Easy to retrofit



BAUER PureAir Certification

"PureAir – Safe Diving": High quality breathing air is the most important element of your diving equipment. Insufficiently or even non-filtered air from the compressor may jeopardize the health & even the life of any sports diver. The BAUER PureAir Campaign offers any diver an easy to use guide for selecting trustworthy filling stations. By choosing to use BAUER state-of-the-art technology diving centers are able to meet the highest standards of Air Quality & are recognized with the award of the BAUER Pure Air Seal.

The exclusive **BAUER PureAir Seal** guarantees any diver that he or she really receives only the purest breathing air. Learn more at www.bauerpureair.com/diving

To find out how to get your BAUER PureAir Certification please contact our Sales & Service team.



DIN VALVE FOR AIR BANK Din Valve 300bar for Air Bank...MAB900



- MAB1Air Storage Cylinders

- 50 Liter Pressure Vessel with valve
 300bar working pressure
 Steel cylinders with 10 year Hydro test
- Can be connected to custom specifications

Dive Supply's work shop facilities can clean, hydrostatically test & certify cylinders of all sizes

JUNIOR II

The most compact & highly mobile model in our diving compressor range. Due to its toughness & reliability the JUNIOR has become a global classic. JUNIOR II offers an even more compact design & numerous improvements in details. The patented TRIPLEX filter system guarantees purest breathing air according to DIN EN 12021.

*Now available with optional automatic condensate drain & final pressure switch off.3



MARINER 200

With 200 I/min. It is the most versatile among the new units of the PROFI-LINE II. Crash frame in series





MARINER 250

Even more performance & equipped with the TRIPLEX P31 / P41 filter in series.





MARINER 320

With 320 I/min, the new Mariner 320 is the most powerful portable compressor worldwide!





TECHNICAL DATA

Type max.	Drive	FAD	RPM	Drive		Filter System	Dimensions (app.cm)			Weight net	
330bar / 5000 psig	Drive	L/min*	min	kW	HP	TRIPLEX	L	w	н	(app.kg)	
JUNIOR II - B	4-stroke petrol	100	2300	4.0	5.5	P21	78	34	42	44	
JUNIOR II - W	Single phase	100	2300	2.2	3.0	P21	66	39	42	46	
MARINER 200 - B	4-stroke petrol	200	1300	6.1	8.0	P21	125	59	63	115	
MARINER 200 - E	3-phase	200	1300	4.0	5.5	P21	125	59	63	115	
MARINER 250 - B	4-stroke petrol	250	1450	6.6	9.0	P31/P41	125	59	63	120	
MARINER 250 - E	3-phase	250	1450	5.5	7.5	P31/P41	125	59	63	135	
MARINER 320 - B	4-stroke petrol	320	1450	9.6	13	P31/P41	130	64.5	70	138	
MARINER 320 - E	3-phase	320	1450	7.5	10	P31/P41	130	64.5	70	154	

MINI-VERTICUS

Now significantly quieter, thanks to the new anti-vibration frame & noise-optimised Super Silent housing; Available with a higher charging rate of 320 I/min & with an open design as standard. Fully automatic B-CONTROL MICRO compressor control with colour display B-DRAIN: New automatic condensate drain is quieter & saves energy Ergonomic design: optimum accessibility & operation Long unit service life: use of high-quality materials that have been optimised for continuous use Optional - Super Silent version, P61 Purification system, B-APP

- 225 & 330 Bar 150-320 l/min

Туре	Type Charging rate ¹	Charging rate ¹		Charging rate ¹		Max. operating	Speed	Motor	Purification	Weight net	Dimensions
Designation	l/min	m³/h	Pressure (bar)	(rpm)	Output (kW)	System	(kg)	L x W x H (cm)			
MV 150	150	9	350	1340	4	P41	324	120x79x138			
MV 200	200	12	350	1270	4	P41	324	120x79x138			
MV 250	250	15	350	1470	5.5	P41	333	120x79x138			
MV 320	320	19.2	350	1450	7.5	P41	350	120×79×138			

Also available with switchover device 330 /225bar (5000/3300 psi)





VERTICUS

For use in professional applications: High charging rate in continuous operation Now significantly quieter: thanks to the new anti-vibration frame & noise-optimised Super Silent housing

Super Silent nousing
B-DRAIN: New automatic condensate drain is quieter & saves energy
Fully automatic compressor control: B-CONTROL MICRO with colour display
Optional oil level monitoring system: For safely switching off the compressor unit when the oil level is low.
The VERTICUS series has been developed & built specifically to meet high performance requirements in continuous operation in professional applications.

- 225 & 330 Bar
- 450 680 I/min



Type Charging rat		Charging rate ¹ No. of Speed		Motor	Purification	Weight net	Dimensions		
Designation	l/min	m³/h	cfm	Compr. Stages	(rpm)	Output (kW)	System	(kg)	L x W x H (cm)
V 450	450	25.2	15.9	4	1320	11	P61	402	120x79x153
V 540	540	32.4	19.1	4	1230	11	P61	402	120x79x153
V 680	680	40.8	24.0	4	1400	15	P61	416	120x79x153



The **POSEIDON EDITION** represents an excellent value-for-money range of compressors without compromising typical **BAUER** quality. This product range has been developed for uncomplicated operation, combining proven core components from **BAUER** with a simple but robust chassis.



- 300 850 l/min
- 225 / 330 / 420bar

The new generation VE range excels through its high delivery rates of up to 850 l/min.

Tailored for breathing protection & scuba diving requirements, the new compressor control offers quick & easy access to all important functions.



- 225 / 330bar

The PE-MVE is BAUER's compact all-in-one The PE-MVE is BAUER's compact all-in-one solution, offering high quality at outstanding value for money. Standard with Super Silent housing, automatic condensate drain system & the user friendly BHW-CONTROL control unit.



- 225 / 330bar

The PE 100 is the smallest & lightest compressor unit of the PE range. With its three drive variants (petrol, three-phase & single-phase alternating current).



- 200 300 l/min 225 / 330bar

The PE 200 - 300-TE models offer the optimum weight / price ratio. Owing to their compact construction, the units are easy to transport & to load onto vehicles.



- 200 300 l/min 225 / 330bar

The PE 200 - 300-HE horizontal models are by far the most compact high pressure breathing air compressors in their class. The standard version comes already equipped with automatic condensate drain & easy-to-use control. Ideal for use on dive boats

SIMILAN ISLANDS

including KOH BON, KOH TACHAI, RICHELIEU ROCK (2nd Edition)

This convenient reference book is a must-have if you're planning a visit to the Similan Islands & surrounding areas. There are also lots of colourful dive site diagrams, descriptions of area dive characteristics & an abundance of practical information you'll need to know before you go.

- Information on the area, from topography to getting ready to dive there
 Detailed explanation of every dive site
 20 full-colour illustrated underwater maps




English...MPD01

INDIAN OCEAN REEF GUIDE

by Helmut Debelius

Maldives - Sri Lanka - Thailand South Africa - Mauritius Madagascar - East Africa - Seychelles

The author made his first dives in tropical waters around Sri Lanka 25 years ago. Since then he explored virtually the entire Indian Ocean with his camera, diving not only in the tourist centers like the Maldives or Seychelles, but also taking UW-Photos at remote islands like Cocos-Keeling in the East or Aldabra in the West. The results are shown in this book including more than 1,000 photos from the natural habitat of the marine animals. Special emphasis was given to rare species like sharks & rays.



English... K1105

INDIAN OCEAN MARINE GUIDE

Marine Pictolife describes more than 250 marine

- Totally waterproof
 Multilingual (5 languages as well as in Latin)
 Almost 250 species packed into 64 pages
 Paper captions in all 5 languages
 Indexes including 5 phyla (mobile & stationary
- species)Format: 12.5 X 16.3 cmWeight: 177 g



TROPIC PACIFIC MARINE GUIDE

Marine Pictolife describes more than 250 marine species.

- Totally waterproof
 Multilingual (5 languages as well as in Latin)
 Almost 280 species packed into 64 pages
 Paper captions in all 5 languages
 indexes including 5 phyla (mobile & stationary
- Format: 12.5 X 16.3 cm Weight: 177 g



ASIA PACIFIC MARINE GUIDE

Marine Pictolife describes more than 250 marine species.

- Totally waterproof
 Multilingual (5 languages as well as in Thai)
 Almost 280 species packed into 64 pages
 Paper captions in all 5 languages
 Cindexes including 5 phyla (mobile & stationary
- Format: 12.5 X 16.3 cm Weight: 177 g












WE CAN PRINT YOUR COMPANY LOGO ON THESE ITEMS:


















DIVE SUPPLY HISTORY

Diving & Snorkeling Equipment Wholesale Specialist

Dive Supply is the leading distributor and wholesaler of major brand name scuba diving and water sports equipment in South East Asia and is the exclusive distributor for Scubapro, Suunto, Deep Blue Products, Seac, Pelican, Saekodive, Bauer, Luxfer, Tovatec, Olympus, Divevolk and Maxtec.

We operate from our 1,500 sqm custom built warehouse in Chalong, Phuket, where we have a fully equipped service center.

If you are looking for the leading brands in Diving and Snorkeling Equipment along with value for money and excellent customer service then Dive Supply is the place to come.

We have a product portfolio which is second to none and we are the main distributor for PADI materials throughout Thailand.











sales@divesupply.com www.divesupply.com facebook/DiveSupply



Dive Supply Co., Ltd. 88/5 Moo10 Patak Road, Chalong,Phuket,Thailand



Tel: +66 (0) 76 383 414-6 Fax: +66 (0) 76 281 525







Dive Supply Main Office (Phuket)

88/5 Moo10 Patak Road, Chalong, Muang, Phuket, 83130 Thailand

Tel: +66 (0) 76 383 414-6, **Fax:** +66 (0) 76 281 525

Email: sales@divesupply.com, Website: www.divesupply.com

Facebook: www.facebook.com/DiveSupply

Bangkok Dive Supply

contact@divesupplybkk.com **Tel:** +66 (0) 2 354 4815 **Fax:** +66 (0) 2 354 4819

Koh Tao Dive Supply

info@kohtaodivesupply.com **Tel:** +66 (0) 77 456 162

Samui Dive Supply

info@samuidivesupply.com **Tel:** +66 (0) 77 230 063 **Fax:** +66 (0) 77 230 186

Koh Chang Dive Supply

info@kohchangdivesupply.com **Tel:** +66 (0) 39 551 518 **Fax:** +66 (0) 39 551 519